Printing date: September 16, 2014

Revision: September 16, 2014

1.1 Product identifie	r	
• Trade name: <u>NIK Te</u>		
Article number: 800-		s advised against
• 1.3 Details of the sup • Manufacturer/Suppli Safariland, LLC 13386 International Pa Jacksonville, FL 3221 Customer Care (800) • 1.4 Emergency telep ChemTel Inc. (800)255-3924, +1 (87)	arkway 8 347-1200 hone number:	
SECTION 2: Haza	rds identification	
Classification accord		
The following Hazar regulation: H412.	ding to Regulation (EC) No 1272/2008 d Statements are applicable only to the EU	-
The following Hazar regulation: H412. The product is not cla	ding to Regulation (EC) No 1272/2008 d Statements are applicable only to the EU ssified as hazardous according to OSHA GHS re	egulations within the United States.
The following Hazar regulation: H412. The product is not cla Aquatic Chronic 3 H4	ding to Regulation (EC) No 1272/2008 d Statements are applicable only to the EU	egulations within the United States cts.
The following Hazar regulation: H412. The product is not cla Aquatic Chronic 3 H4 Classification accord R52/53: Harmful to environme Information concern The product has to be	ding to Regulation (EC) No 1272/2008 d Statements are applicable only to the EU ssified as hazardous according to OSHA GHS re 12 Harmful to aquatic life with long lasting effect ding to Directive 67/548/EEC or Directive 199 o aquatic organisms, may cause long-term nt. ing particular hazards for human and environ labelled due to the calculation procedure of the	egulations within the United States. cts. 9/45/EC n adverse effects in the aquat nment:
The following Hazar regulation: H412. The product is not clar Aquatic Chronic 3 H4 • Classification accord R52/53: Harmful to environme • Information concern The product has to be preparations of the EU • Classification system	ding to Regulation (EC) No 1272/2008 d Statements are applicable only to the EU ssified as hazardous according to OSHA GHS re 12 Harmful to aquatic life with long lasting effect ding to Directive 67/548/EEC or Directive 199 o aquatic organisms, may cause long-term nt. ing particular hazards for human and environ labelled due to the calculation procedure of the J" in the latest valid version.	egulations within the United States. cts. 9/45/EC n adverse effects in the aquat nment: e "General Classification guideline f
The following Hazar regulation: H412. The product is not clar Aquatic Chronic 3 H4 • Classification accord R52/53: Harmful tr environme • Information concern The product has to be preparations of the EU • Classification syster The classification is literature data. The classification is	ding to Regulation (EC) No 1272/2008 d Statements are applicable only to the EU ssified as hazardous according to OSHA GHS re 12 Harmful to aquatic life with long lasting effect ding to Directive 67/548/EEC or Directive 199 o aquatic organisms, may cause long-term nt. ing particular hazards for human and enviro labelled due to the calculation procedure of the J" in the latest valid version. n:	egulations within the United States. cts. 9/45/EC n adverse effects in the aquati nment: e "General Classification guideline f sts, and extended by company ar ernational substances lists, and
The following Hazar regulation: H412. The product is not clar Aquatic Chronic 3 H4 Classification accord R52/53: Harmful tr environme Information concern The product has to be preparations of the EU Classification syster The classification is literature data. The classification is supplemented by infor 2.2 Label elements Labelling according The following Hazar regulation: H412. The product is not clar	ding to Regulation (EC) No 1272/2008 d Statements are applicable only to the EU ssified as hazardous according to OSHA GHS re 12 Harmful to aquatic life with long lasting effect ding to Directive 67/548/EEC or Directive 199 of aquatic organisms, may cause long-term nt. ing particular hazards for human and environ labelled due to the calculation procedure of the J" in the latest valid version. n: according to the latest editions of the EU-lise in accordance with the latest editions of int tration from technical literature and by informat to Regulation (EC) No 1272/2008 d Statements are applicable only to the EU ssified as hazardous according to OSHA GHS re ed and labelled according to the CLP regulation	egulations within the United States. 9/45/EC In adverse effects in the aquation nment: a "General Classification guideline for sts, and extended by company and ernational substances lists, and ion provided by the company. I regulations and not the US GH egulations within the United States.

GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test Q

(Contd. of page 1)
Hazard statements The following Hazard Statements are applied by apply to the EU regulations and not the US CHS
The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H412.
The product is not classified as hazardous according to OSHA GHS regulations within the United States. H412 Harmful to aquatic life with long lasting effects.
Precautionary statements
Not applicable within the USA; only applicable for the EU.
P273 Avoid release to the environment. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. • Hazard description:
• WHMIS-symbols: Not hazardous under WHMIS.
· NFPA ratings (scale 0 - 4)
Health = 0 Fire = 0 Reactivity = 0
· HMIS-ratings (scale 0 - 4)
HEALTH I Health = 0
FIRE O Fire = 0
Reactivity = 0
· HMIS Long Term Health Hazard Substances
None of the ingredients is listed.
· 2.3 Other hazards
 Results of PBT and vPvB assessment
• PBT: Not applicable.
· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

 Dangerous components: 		
CAS: 7758-98-7	copper sulphate	≤ 2,5%
EINECS: 231-847-6	🗙 Xn R22; 🗙 Xi R36/38; 🌇 N R50/53	
Index number: 029-004-00-0	Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319	
CAS: 64-19-7	acetic acid	≤ 2,5%
EINECS: 200-580-7	C R35	
Index number: 607-002-00-6		
	 ♦ Flam. Liq. 3, H226 ♦ Skin Corr. 1A, H314 	
	Skin Corr. 1A, H314	
		(Contd. on page 3)

(Contd. of page 2)

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and

GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test Q

• Additional information: For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:
- Clean with water and soap.
- If skin irritation is experienced, consult a doctor.
- After eye contact: Remove contact lenses if worn. Pipes opened eve for several minutes under running water. If symptoms persist, consult a decta

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; call for medical help immediately.
- 4.2 Most important symptoms and effects, both acute and delayed Gastric or intestinal disorders when ingested. Slight irritant effect on eyes.
- · Hazards No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- For safety reasons unsuitable extinguishing agents: None.
- 5.2 Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- 5.3 Advice for firefighters
- Protective equipment: Wear self-contained respiratory protective device.
- Wear fully protective suit.
- Additional information No further relevant information available.

SECTION 6: Accidental release measures

\cdot 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

For large spills, wear protective clothing.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Contd. on page 4)

(Contd. of page 3)

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and

GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test Q

Send for recovery or disposal in suitable receptacles.

Dispose contaminated material as waste according to item 13.

6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling No special precautions are necessary if used correctly. • Information about fire - and explosion protection: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Store away from foodstuffs. Store away from metals.

• Further information about storage conditions: Keep container tightly sealed.

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

0.1 0011101 p		
 Ingredients with limit values that require monitoring at the workplace: 		
64-19-7 aceti	c acid	
IOELV (EU)	Long-term value: 25 mg/m ³ , 10 ppm	
PEL (USA)	Long-term value: 25 mg/m ³ , 10 ppm	
REL (USA)	Short-term value: 37 mg/m³, 15 ppm Long-term value: 25 mg/m³, 10 ppm	
TLV (USA)	Short-term value: 37 mg/m³, 15 ppm Long-term value: 25 mg/m³, 10 ppm	
EL (Canada)	Short-term value: 15 ppm Long-term value: 10 ppm	
EV (Canada)	Short-term value: 37 mg/m ³ , 15 ppm Long-term value: 25 mg/m ³ , 10 ppm	
• PNECs No fu	rther relevant information available. rther relevant information available. formation: The lists valid during the making were used as basis.	
General prot	e controls tective equipment: ective and hygienic measures: ecautionary measures are to be adhered to when handling chemicals.	(Contd. on page 5)

GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test Q

(Contd. of page 4) Wash hands before breaks and at the end of work. Keep away from foodstuffs, beverages and feed. Avoid contact with the eyes. Avoid close or long term contact with the skin. · Respiratory protection: Not required under normal conditions of use. For spills, respiratory protection may be advisable. · Protection of hands: Not required under normal conditions of use. Wear protective gloves to handle contents of damaged or leaking units. The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation. · Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. · Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. · Eye protection: Safety glasses · Body protection: Not required under normal conditions of use. Protection may be required for spills. · Limitation and supervision of exposure into the environment No further relevant information available. · Risk management measures See Section 7 for additional information. No further relevant information available. SECTION 9: Physical and chemical properties 9.1 Information on basic physical and chemical properties · General Information · Appearance: Form: Liquid Colour: Light blue · Odour: Characteristic · Odour threshold: Not determined. · pH-value: Not determined. (Contd. on page 6)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test Q

 Change in condition Melting point/Melting range: 		
Boiling point/Boiling range:	Not Determined. 212 °F / 100 °C	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
· Auto/Self-ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
· Self-igniting:	Product is not self-igniting.	
 Danger of explosion: 	Product does not present an explosion hazard.	
 Explosion limits: Lower: Upper: 	Not determined. Not determined.	
· Vapour pressure at 20 °C:	23 hPa	
 Density at 20 °C: Relative density Vapour density Evaporation rate 	1,03 g/cm ³ Not determined. Not determined. Not determined.	
 Solubility in / Miscibility with water: 	Fully miscible.	
· Partition coefficient (n-octanol/wate	er): Not determined.	
 Viscosity: Dynamic: Kinematic: 9.2 Other information 	Not determined. Not determined. No further relevant information available.	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- **10.3 Possibility of hazardous reactions** Toxic fumes may be released if heated above the decomposition point.
- Reacts with ammonia.
- 10.4 Conditions to avoid No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- 10.6 Hazardous decomposition products: Possible in traces.

(Contd. on page 7)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test Q

(Contd. of page 6)

SECTION 11: Toxicological information

• 11.1 Information on toxicological effects

· Acute toxicity:

· LD/LC50 values relevant for classification:

7758-98-7 copper sulphate

- Oral LD50 300 mg/kg (rat)
- · Primary irritant effect:
- · on the skin: No irritant effect.
- on the eye: Slight irritant effect on eyes.
- · Sensitization: No sensitizing effects known.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Harmful to aquatic organisms

The product contains heavy metals. Avoid transfer into the environment. Specific preliminary treatments are necessary

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

(Contd. on page 8)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test Q

(Contd. of page 7)

- · Uncleaned packaging:
- **Recommendation:** Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information	
· 14.1 UN-Number	
· DOT, ADR, ADN, IMDG, IATA	Not Regulated
 · 14.2 UN proper shipping name · DOT, ADR, ADN, IMDG, IATA · 14.3 Transport hazard class(es) 	Not Regulated
· DOT, ADR, ADN, IMDG, IATA	
Class	Not Regulated
 14.4 Packing group 	
· DOT, ADR, IMDG, IATA	Not Regulated
 14.5 Environmental hazards: 	
 Marine pollutant: 	No
 14.6 Special precautions for user 	Not applicable.
 14.7 Transport in bulk according to Annex II of 	of
MARPOL73/78 and the IBC Code	Not applicable.
· UN "Model Regulation":	-

SECTION 15: Regulatory information

 \cdot 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot United States (USA)

· SARA

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

7758-98-7 copper sulphate

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65 (California):

Chemicals known to cause cancer:

None of the ingredients is listed.

 \cdot Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

 \cdot Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

(Contd. on page 9)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test Q

	(Contd. of page
 Chemicals known to cause developmental toxicity: 	
None of the ingredients is listed.	
· Carcinogenic Categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
\cdot IARC (International Agency for Research on Cancer)	
None of the ingredients is listed.	
· TLV (Threshold Limit Value established by ACGIH)	
None of the ingredients is listed.	
\cdot NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
· Canada	
 Canadian Domestic Substances List (DSL) 	
All ingredients are listed.	
\cdot Canadian Ingredient Disclosure list (limit 0.1%)	
None of the ingredients is listed.	
· Canadian Ingredient Disclosure list (limit 1%)	
7758-98-7 copper sulphate	
64-19-7 acetic acid	
Other regulations, limitations and prohibitive regulations This product has been classified in accordance with hazard criteria of the Control and the SDS contains all the information required by the Controlled Products Reg	
\cdot Substances of very high concern (SVHC) according to REACH, Article 57	
None of the ingredients is listed.	
· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not bee	en carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H226 Flammable liquid and vapour.
- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- R10 Flammable.
- R22 Harmful if swallowed.
- R35 Causes severe burns.

(Contd. on page 10)

GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test Q

(Contd. of page 9) R36/38 Irritating to eyes and skin. R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Flam. Liq. 3: Flammable liquids, Hazard Category 3 Acute Tox. 4: Acute toxicity, Hazard Category 4 Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2 Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3 Sources SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com

GHS

Printing date: September 16, 2014

Revision: September 16, 2014

SECTION 1: Identification of the substance/mixture and of the company/ undertaking			
· 1.1 Product identifier			
· Trade name: <u>NIK Test C</u>	2 2nd Ampoule		
 Article number: 800-608 1.2 Relevant identified u Ephedrine Test Kit 	5 (1006163) ises of the substance or mixture and uses advised against		
 1.3 Details of the suppli Manufacturer/Supplier: Safariland, LLC 11386 International Parky Jacksonville, FL 32218 Customer Care (800) 347 1.4 Emergency telephor ChemTel Inc. 	-1200		
(800)255-3924, +1 (813)2	248-0585		
SECTION 2: Hazard	s identification		
flame	substance or mixture g to Regulation (EC) No 1272/2008 ly flammable liquid and vapour.		
skull and crossbo	nes		
Acute Tox. 3 H301 Toxic if swallowed. Acute Tox. 3 H311 Toxic in contact with skin. Acute Tox. 3 H331 Toxic if inhaled. health hazard			
STOT SE 1 H370 Caus	ses damage to organs.		
Classification according to Directive 67/548/EEC or Directive 1999/45/EC			
R23/24/25-39/23/24/25:	Toxic by inhalation, in contact with skin and if swallowed. Toxic: danger of very serious irreversible effects through inhalation, in contact with skin and if swallowed.		
🐞 F; Highly flammable			
 R11:	Highly flammable. (Contd. on page 2)		

GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test Q 2nd Ampoule

(Contd. of page 1) · Information concerning particular hazards for human and environment: The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version. · Classification system: The classification is according to the latest editions of the EU-lists, and extended by company and literature data. The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company. · 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. · Hazard pictograms GHS02 GHS06 GHS08 Signal word Danger · Hazard-determining components of labelling: methanol · Hazard statements H225 Highly flammable liquid and vapour. H301 Toxic if swallowed. H311 Toxic in contact with skin. H331 Toxic if inhaled. H370 Causes damage to organs. Precautionary statements P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P280 Wear protective gloves / eye protection. P233 Keep container tightly closed. P264 Wash thoroughly after handling. P260 Do not breathe mist/vapours/sprav. P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P370+P378 In case of fire: Use for extinction: CO2, powder or water spray. IF SWALLOW ED: Immediately call a POISON CENTER/ doctor. P301+P310 P302+P352 IF ON SKIN: Wash with plenty of water. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Hazard description: · WHMIS-symbols: B2 - Flammable liquid D1A - Very toxic material causing immediate and serious toxic effects D2A - Very toxic material causing other toxic effects (Contd. on page 3)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test Q 2nd Ampoule (Contd. of page 2) E - Corrosive material · NFPA ratings (scale 0 - 4) Health = 3Fire = 4Reactivity = 0· HMIS-ratings (scale 0 - 4) *3 Health = *3 HEALTH 4 Fire = 4 FIRE Reactivity 0 Reactivity = 0 * - Indicates a long term health hazard from repeated or prolonged exposures. · HMIS Long Term Health Hazard Substances 67-56-1 methanol 2.3 Other hazards · Results of PBT and vPvB assessment • **PBT:** Not applicable. · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

Dangereas components		
CAS: 67-56-1	methanol	50-100%
EINECS: 200-659-6	😡 T R23/24/25-39/23/24/25; 🔥 F R11	
Index number: 603-001-00-X	 Flam. Liq. 2, H225 Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331 STOT SE 1, H370 	
CAS: 75-31-0	2-aminopropane	2,5-10%
	🗙 Xi R36/37/38; 👸 F+ R12	
Index number: 612-007-00-1	 Flam. Liq. 1, H224 Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335 	
Additional information: For	the wording of the listed risk phrases refer to section 16.	

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information: Immediately remove any clothing soiled by the product.

(Contd. on page 4)

GHS

Printing date: September 16, 2014

Trade name: NIK Test Q 2nd Ampoule

Revision: September 16, 2014

	(Contd. of page
· After inhalation:	
Supply fresh air; consult doctor in case of complaints.	
Provide oxygen treatment if affected person has difficulty breathing.	
In case of irregular breathing or respiratory arrest provide artificial respiration.	
· After skin contact:	
Immediately wash with water and soap and rinse thoroughly.	
If skin irritation continues, consult a doctor.	
· After eye contact:	
Remove contact lenses if worn.	
Rinse opened eye for several minutes under running water. Then consult a doctor.	
· After swallowing:	
Rinse out mouth and then drink plenty of water.	
Do not induce vomiting; call for medical help immediately.	
 4.2 Most important symptoms and effects, both acute and delayed Headache 	
Coughing	
Dizziness	
Gastric or intestinal disorders.	
Nausea	
Breathing difficulty	
Blindness	
Acidosis	
Disorientation	
Unconsciousness	
· Hazards	
Danger of convulsion.	
Danger of impaired breathing.	
Danger of disturbed cardiac rhythm.	
Possible risk of irreversible effects.	
· 4.3 Indication of any immediate medical attention and special treatment needed	
Contains methanol. Consult literature for specific antidotes.	
May produce a neurotoxic / hepatotoxic effect.	
Medical supervision for at least 48 hours.	
If necessary oxygen respiration treatment.	
SECTION 5: Firefighting measures	
· 5.1 Extinguishing media	
· Suitable extinguishing agents:	
CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foa	m

- 5.2 Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- 5.3 Advice for firefighters
- **Protective equipment:** Wear self-contained respiratory protective device. Wear fully protective suit.

(Contd. on page 5)

(Contd. of page 4)

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and

GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test Q 2nd Ampoule

· Additional information

Eliminate all ignition sources if safe to do so.

Use large quantities of foam as it is partially destroyed by the product.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Use respiratory protective device against the effects of fumes/dust/aerosol. Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources. Protect from heat. · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water. Inform respective authorities in case of seepage into water course or sewage system. • 6.3 Methods and material for containment and cleaning up: Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders). Send for recovery or disposal in suitable receptacles. Dispose contaminated material as waste according to item 13. · 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. **SECTION 7: Handling and storage** 7.1 Precautions for safe handling Prevent formation of aerosols. Avoid splashes or spray in enclosed areas. · Information about fire - and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available. · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:

 Requirements to be met by storerooms and receptacles: Store in a cool location.
 Provide ventilation for receptacles.
 Avoid storage near extreme heat, ignition sources or open flame.
 Information about storage in one common storage facility:

- Store away from foodstuffs.
- Store away from oxidizing agents.
- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 6)

GHS

Printing date: September 16, 2014

Г

Revision: September 16, 2014

Trade name: NIK Test Q 2nd Ampoule

(Contd. of page 5)

· Additional in	formation about design of technical facilities: No further data; see ite	em 7.
· 8.1 Control p	parameters	
· Ingredients w	vith limit values that require monitoring at the workplace:	
67-56-1 meth	anol	
IOELV (EU)	Long-term value: 260 mg/m ³ , 200 ppm Skin	
PEL (USA)	Long-term value: 260 mg/m ³ , 200 ppm	
REL (USA)	Short-term value: 325 mg/m ³ , 250 ppm Long-term value: 260 mg/m ³ , 200 ppm Skin	
TLV (USA)	Short-term value: 328 mg/m ³ , 250 ppm Long-term value: 262 mg/m ³ , 200 ppm Skin; BEI	
EL (Canada)	Short-term value: 250 ppm Long-term value: 200 ppm Skin	
EV (Canada)	Short-term value: 325 mg/m ³ , 250 ppm Long-term value: 260 mg/m ³ , 200 ppm Skin	
75-31-0 2-am	inopropane	
PEL (USA)	Long-term value: 12 mg/m ³ , 5 ppm	
TLV (USA)	Short-term value: 24 mg/m ³ , 10 ppm Long-term value: 12 mg/m ³ , 5 ppm	
EL (Canada)	Short-term value: 10 ppm Long-term value: 5 ppm	
EV (Canada)	Short-term value: 24 mg/m ³ , 10 ppm Long-term value: 12 mg/m ³ , 5 ppm	
• PNECs No fu	rther relevant information available. rther relevant information available.	
-	vith biological limit values:	
Ti		
	formation: The lists valid during the making were used as basis.	
 8.2 Exposure Personal pro General prot 		
	om foodstuffs, beverages and feed.	
		(Contd. on page

GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test Q 2nd Ampoule

(Contd. of page 6)

Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin. · Respiratory protection: Not required under normal conditions of use. Use suitable respiratory protective device when aerosol or mist is formed. For spills, respiratory protection may be advisable. Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation. Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. · Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. · Eye protection: Safety glasses · Body protection: Protective work clothing

_. . .

- Limitation and supervision of exposure into the environment No further relevant information available.
- Risk management measures See Section 7 for additional information.

No further relevant information available.

SECTION 9: Physical and chemical properties

- \cdot 9.1 Information on basic physical and chemical properties
- General Information
- · Appearance:

Form:	Fluid
Colour:	Colourless
· Odour:	Characteristic
 Odour threshold: 	Not determined.
· pH-value:	Not determined.

(Contd. on page 8)

Printing date: September 16, 2014

Trade name: NIK Test Q 2nd Ampoule

Revision: September 16, 2014

	(Contd. of page
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Not Determined. Undetermined.
· Flash point:	Flash Point Range: 50 - 59 ° F / 10 - 15 °C. (Estimated)
 Flammability (solid, gaseous): 	Not applicable.
· Auto/Self-ignition temperature:	Not determined.
· Decomposition temperature:	Not determined.
· Self-igniting:	Product is not self-igniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive a vapour mixtures are possible.
 Explosion limits: Lower: Upper: 	5,5 Vol % 44,0 Vol %
· Vapour pressure at 20 °C:	128 hPa
 Density at 20 °C: Relative density Vapour density Evaporation rate 	0,78 g/cm ³ Not determined. Not determined. Not determined.
\cdot Solubility in / Miscibility with	
water:	Fully miscible.
· Partition coefficient (n-octanol/wat	ter): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
 9.2 Other information 	No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity
- 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- 10.3 Possibility of hazardous reactions
- Flammable.

Reacts violently with oxidizing agents.

Used empty containers may contain product gases which form explosive mixtures with air.

Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomised.

Toxic fumes may be released if heated above the decomposition point.

(Contd. on page 9)

GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test Q 2nd Ampoule

(Contd. of page 8)

- 10.4 Conditions to avoid Keep ignition sources away - Do not smoke. Store away from oxidizing agents.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide Nitrogen oxides

SECTION 11: Toxicological information		
 • 11.1 Information on toxicological effects • Acute toxicity: 		
· LD/LC50 values relevant for classification:		
67-56-1 methanol		
Oral LD50 5628 mg/kg (rat)		
Dermal LD50 15800 mg/kg (rabbit)		
Inhalative LC50/4h 130,7 mg/l (rat)		
Primary irritant effect:		
• on the skin: Slight irritant effect on skin and mucous membranes.		
• on the eye: Slight irritant effect on eyes.		
• Sensitization: No sensitizing effects known.		
Additional toxicological information: The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Toxic		
Danger through skin adsorption.		
Toxic and/or corrosive effects may be delayed up to 24 hours.		
Inhalation of concentrated vapours as well as oral intake will lead to anaesthesia-like conditions and		
headache, dizziness, etc.		
Acute effects (acute toxicity, irritation and corrosivity):		
Vapours have narcotic effect.		
Toxic if swallowed, in contact with skin or if inhaled.		
Causes damage to organs.		
• Repeated dose toxicity: Causes damage to organs through prolonged or repeated exposure.		

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.

(Contd. on page 10)

GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test Q 2nd Ampoule

(Contd. of page 9)

· Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. After prior treatment product has to be landfilled or incinerated adhering to the regulations pertaining to the disposal of especially hazardous waste.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

- · 14.1 UN-Number
- \cdot DOT, ADR, IMDG, IATA
- \cdot 14.2 UN proper shipping name
- · DOT
- · ADR
- · IMDG, IATA
- · 14.3 Transport hazard class(es)
- · DOT



UN3286

Flammable liquid, toxic, corrosive, n.o.s. (Methanol, Isopropylamine) 3286 FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S. (METHANOL, ISOPROPYLAMINE) FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S. (METHANOL, ISOPROPYLAMINE)

3 Flammable liquids.

(Contd. on page 11)

Printing date: September 16, 2014

Revision: September 16, 2014

Label	(Contd. of page 10 3+6.1+8
ADR	510.110
Class	3 (FTC) Flammable liquids.
Label	3+6.1+8
IMDG, IATA	
Class	3 Flammable liquids.
Label	3+6.1+8
14.4 Packing group DOT, ADR, IMDG, IATA	Ш
14.5 Environmental hazards:	I
Marine pollutant:	No
14.6 Special precautions for user	Warning: Flammable liquids.
Danger code (Kemler):	368
EMS Number:	F-E,S-C
14.7 Transport in bulk according to Anno MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	Not applicable.
ADR	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
• •	Maximum net quantity per inner packaging: 30 ml
Transport actorsory	Maximum net quantity per outer packaging: 500 ml
Transport category Tunnel restriction code	2 D/E
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN3286, FLAMMABLE LIQUID, TOXIC, CORROSIVE N.O.S. (METHANOL, ISOPROPYLAMINE), 3 (6.1+8),

(Contd. on page 12)

GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test Q 2nd Ampoule

(Contd. of page 11)

Ur	.1 Safety, health and environmental regulations/legislation specific for the substance or mixtu ited States (USA) \RA
	ction 355 (extremely hazardous substances):
Nc	ne of the ingredients is listed.
Se	ction 313 (Specific toxic chemical listings):
67	-56-1 methanol
TS	CA (Toxic Substances Control Act):
	ingredients are listed.
	oposition 65 (California):
	emicals known to cause cancer:
Nc	ne of the ingredients is listed.
	emicals known to cause reproductive toxicity for females:
Nc	ne of the ingredients are listed.
	emicals known to cause reproductive toxicity for males:
Nc	ne of the ingredients is listed.
Ch	emicals known to cause developmental toxicity:
	-56-1 methanol
	rcinogenic Categories
	PA (Environmental Protection Agency)
	ne of the ingredients is listed.
	RC (International Agency for Research on Cancer)
Nc	ne of the ingredients is listed.
	V (Threshold Limit Value established by ACGIH)
Nc	ne of the ingredients is listed.
	OSH-Ca (National Institute for Occupational Safety and Health)
	ne of the ingredients is listed.
	nada
	nadian Domestic Substances List (DSL)
	ingredients are listed.
	nadian Ingredient Disclosure list (limit 0.1%)
	ne of the ingredients is listed.
	nadian Ingredient Disclosure list (limit 1%)
All	ingredients are listed.

(Contd. on page 13)

(Contd. of page 12)

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and

GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test Q 2nd Ampoule

· Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H224 Extremely flammable liquid and vapour.
- H225 Highly flammable liquid and vapour.
- H301 Toxic if swallowed.
- H311 Toxic in contact with skin.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H331 Toxic if inhaled.
- H335 May cause respiratory irritation.
- H370 Causes damage to organs.
- R11 Highly flammable.
- R12 Extremely flammable.
- R23/24/25 Toxic by inhalation, in contact with skin and if swallowed.
- R36/37/38 Irritating to eyes, respiratory system and skin.

R39/23/24/25 Toxic: danger of very serious irreversible effects through inhalation, in contact with skin and if swallowed.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Flam. Liq. 1: Flammable liquids, Hazard Category 1 Flam. Liq. 2: Flammable liquids, Hazard Category 2 Acute Tox. 3: Acute toxicity, Hazard Category 3 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2 STOT SE 1: Specific target organ toxicity - Single exposure, Hazard Category 1 STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3 Sources SDS Prepared by: ChemTel Inc.

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test Q 2nd Ampoule

(Contd. of page 13)

1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com