Printing date: September 16, 2014

Revision: September 16, 2014



Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test R

	(Contd. of page 1)
	oncerning particular hazards for human and environment:
The product ha	s to be labelled due to the calculation procedure of the "General Classification guideline for
	the EU" in the latest valid version.
 Classification 	system:
The classificat	tion is according to the latest editions of the EU-lists, and extended by company and
literature data.	
The classificat	tion is in accordance with the latest editions of international substances lists, and is
supplemented b	by information from technical literature and by information provided by the company.
· 2.2 Label elem	onte
	ording to Regulation (EC) No 1272/2008
	is classified and labelled according to the CLP regulation.
Hazard pictogi	8 8
· nazaru pictogi	lains
$\wedge \wedge$	
- <u><</u> ()>	
GHS02 GHS07	
 Signal word Data 	anger
· Hazard-determ	nining components of labelling:
propan-2-ol	inning componente en laboling.
· Hazard statem	ents
	mmable liquid and vapour.
	erious eye irritation.
	e drowsiness or dizziness.
· Precautionary	
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P240	Ground/bond container and receiving equipment.
P233	Keep container tightly closed.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P264	Wash thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
	353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse
100011001110	skin with water/shower.
P305+P351+P3	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
100011001110	present and easy to do. Continue rinsing.
P304+P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for
1 00411 040	breathing.
P337+P313	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use for extinction: CO2, powder or water spray.
P312	Call a POISON CENTER/doctor if you feel unwell.
P405	Store locked up.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
1 10011 200	(Contd. on page 3)


GHS

Printing date: September 16, 2014

CAS: 1310-73-2

EINECS: 215-185-5

Revision: September 16, 2014



sodium hydroxide

🗾 C R35

Index number: 011-002-00-6 🐼 Skin Corr. 1A, H314

(Contd. on page 4)

< 1,0%

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test R

(Contd. of page 3)

SECTION 4: First aid measures

· 4.1 Description of first aid measures

• General information: Immediately remove any clothing soiled by the product.

Take affected persons out into the fresh air.

· After inhalation: Supply fresh air; consult doctor in case of complaints.

• After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

- \cdot 4.2 Most important symptoms and effects, both acute and delayed
- Irritant to eyes.
- Dizziness Thirst
- I nirsi
- Disorientation
- Hazards No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** Vapours may cause drowsiness and dizziness.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · For safety reasons unsuitable extinguishing agents: None.
- 5.2 Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- · 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information

Eliminate all ignition sources if safe to do so. Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Use respiratory protective device against the effects of fumes/dust/aerosol. Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

(Contd. on page 5)

(Contd. of page 4)

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test R

Keep away from ignition sources. Protect from heat.

- 6.2 Environmental precautions: No special measures required. Dilute with plenty of water.
- 6.3 Methods and material for containment and cleaning up: Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders). Send for recovery or disposal in suitable receptacles. Clean the affected area carefully; suitable cleaners are: Warm water
 6.4 Reference to other sections
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Prevent formation of aerosols. Avoid splashes or spray in enclosed areas.
- Information about fire and explosion protection: Keep ignition sources away Do not smoke.

· 7.2 Conditions for safe storage, including any incompatibilities

- · Storage:
- \cdot Requirements to be met by storerooms and receptacles:

Store in a cool location.

Avoid storage near extreme heat, ignition sources or open flame.

- Information about storage in one common storage facility: Store away from oxidizing agents.
- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

• Ingredients with limit values that require monitoring at the workplace:

67-63-0 propan-2-ol

PEL (USA)	Long-term value: 980 mg/m ³ , 400 ppm
REL (USA)	Short-term value: 1225 mg/m ³ , 500 ppm
	Long-term value: 980 mg/m ³ , 400 ppm
TLV (USA)	Short-term value: 984 mg/m ³ , 400 ppm

Long-term value: 492 mg/m³, 200 ppm BEI

(Contd. on page 6)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test R

			(Contd. of page 5)
EL (Canada) Short-te			
	rm value: 200 ppm		
EV (Canada) Short-te			
	rm value: 200 ppm		
1310-73-2 sodium hy			
, , ,	rm value: 2 mg/m ³		
	limit: 2 mg/m ³		
	limit: 2 mg/m ³		
EL (Canada) Ceiling	•		
EV (Canada) Ceiling	•		
	evant information available.		
	evant information available.		
Ingredients with bio	ogical limit values:		
67-63-0 propan-2-ol			
BEI (USA) 40 mg/L			
Medium: u	Irine of shift at end of workweek		
	r: Acetone (background, nons	specific)	
	on: The lists valid during the	• •	
The usual precautiona Keep away from food Immediately remove a Wash hands before b Do not inhale gases / Avoid contact with the Respiratory protecti Not required under no	equipment: nd hygienic measures: ary measures are to be adher stuffs, beverages and feed. all soiled and contaminated cl reaks and at the end of work. fumes / aerosols. eyes. on: rmal conditions of use. protection may be advisable.		
Selection of the glov degradation. • Material of gloves The selection of the quality and varies fr substances, the resis	s to be impermeable and res re material on consideration suitable gloves does not onl om manufacturer to manu tance of the glove material ca	istant to the product/ the substance/ th n of the penetration times, rates of y depend on the material, but also c facturer. As the product is a prep an not be calculated in advance and b	diffusion and the on further marks of aration of several
checked prior to the a	pplication.		(Contd on page 7)

(Contd. on page 7)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test R

(Contd. of page 6)

• Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Safety glasses

- · Body protection: Protective work clothing
- Limitation and supervision of exposure into the environment No further relevant information available.
- **Risk management measures** See Section 7 for additional information. No further relevant information available.

SECTION 9: Physical and chemical properties

 9.1 Information on basic physical an General Information Appearance: 	d chemical properties
Form: Colour: • Odour: • Odour:	Liquid Colourless Like alcohol Not determined.
· pH-value:	Alkaline
Change in condition Melting point/Melting range:	Not Determined.
· Flash point:	53,6 °F / 12 °C (PMCC)
· Flammability (solid, gaseous):	Not applicable.
· Auto/Self-ignition temperature:	750 °F / 399 °C
· Decomposition temperature:	Not determined.
· Self-igniting:	Product is not self-igniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/ vapour mixtures are possible.
 Explosion limits: Lower: Upper: 	2,0 Vol % (propan-2-ol) 12,7 Vol % (propan-2-ol)
· Vapour pressure at 20 °C:	43 hPa
 Density at 20 °C: Relative density Vapour density 	0,81 g/cm ³ Not determined. Not determined. (Contd. on page 8)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test R

· Evaporation rate	Not determined.	(Contd. of page 7)
 Solubility in / Miscibility with water: 	Soluble.	
· Partition coefficient (n-octanol/wate	r): Not determined.	
 Viscosity: Dynamic: Kinematic: • 9.2 Other information 	Not determined. Not determined. No further relevant information available.	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity
- 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- 10.3 Possibility of hazardous reactions
- Flammable.

Reacts violently with oxidizing agents.

Used empty containers may contain product gases which form explosive mixtures with air.

Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomised.

• **10.4 Conditions to avoid** Keep ignition sources away - Do not smoke.

Store away from oxidizing agents.

- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values relevant for classification:

67-63-0 propan-2-ol

Oral LD50 5045 mg/kg (rat)

Dermal LD50 12800 mg/kg (rabbit)

Inhalative LC50/4h 30 mg/l (rat)

· Primary irritant effect:

- on the skin: Slight irritant effect on skin and mucous membranes.
- on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

(Contd. on page 9)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test R

(Contd. of page 8)

Irritant Inhalation of concentrated vapours as well as oral intake will lead to anaesthesia-like conditions and headache, dizziness, etc.

• Acute effects (acute toxicity, irritation and corrosivity): Vapours have narcotic effect.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Not known to be hazardous to water.

Due to available data on eliminability/decomposition and bioaccumulation potential a prolonged damage of the environment is unlikely.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- **vPvB:** Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport informa	ation
· 14.1 UN-Number	
· DOT	UN1993
· ADR, IMDG, IATA	UN1219
14.2 UN proper shipping name	
DOT	Flammable Liquid N.O.S. Contains ISOPROPANOL (ISOPROPYL ALCOHOL), Limited Quantity <5L Consumer commodity
· ADR	1219 ISOPROPANOL (ISOPROPYL ALCOHOL)
· IMDG, IATA	ISOPROPANOL (ISOPROPYL ALCOHOL) (Contd. on page 10)

Printing date: September 16, 2014

Revision: September 16, 2014

· 14.3 Transport hazard class(es)	(Contd. of page
· DOT	
· Class · Label	3 Flammable liquids. 3
· ADR	5
	
Class Label	3 (F1) Flammable liquids. 3
· IMDG, IATA	
· Class	3 Flammable liquids.
	3
· 14.4 Packing group	
 DOT, ADR, IMDG, IATA 14.5 Environmental hazards: 	Ш
· Marine pollutant:	No
• 14.6 Special precautions for user	Warning: Flammable liquids.
· Danger code (Kemler):	33
· EMS Number:	F-E,S-D
• 14.7 Transport in bulk according to Anne	
MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	1L
 Excepted quantities (EQ) 	Code: E2
	Maximum net quantity per inner packaging: 30 ml
Transport optogony	Maximum net quantity per outer packaging: 500 ml
 Transport category Tunnel restriction code 	2 D/E
· IMDG	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E2
· · · · · · · · · · · · · · · · · · ·	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml (Contd. on page

GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test R

· UN "Model Regulation":

(Contd. of page 10) UN1219, ISOPROPANOL (ISOPROPYL ALCOHOL), 3, Ш

SECTION 15: Regulatory information

 • 15.1 Safety, health and environmental regulations/legislation specific for the substance or m • United States (USA) • SARA 	ixture
Section 355 (extremely hazardous substances):	
Substance is not listed.	
Section 313 (Specific toxic chemical listings):	
Substance is listed.	
· TSCA (Toxic Substances Control Act):	
Substance is listed.	
· Proposition 65 (California):	
· Chemicals known to cause cancer:	
Substance is not listed.	
· Chemicals known to cause reproductive toxicity for females:	
Substance is not listed.	
· Chemicals known to cause reproductive toxicity for males:	
Substance is not listed.	
· Chemicals known to cause developmental toxicity:	
Substance is not listed.	
· Carcinogenic Categories	
· EPA (Environmental Protection Agency)	
Substance is not listed.	
· IARC (International Agency for Research on Cancer)	
67-63-0 propan-2-ol	3
TLV (Threshold Limit Value established by ACGIH)	i
67-63-0 propan-2-ol	A4
NIOSH-Ca (National Institute for Occupational Safety and Health)	
Substance is not listed.	
· Canada	
· Canadian Domestic Substances List (DSL)	
Substance is listed.	
· Canadian Ingredient Disclosure list (limit 0.1%)	
Substance is not listed.	
· Canadian Ingredient Disclosure list (limit 1%)	
Substance is listed.	
(Contd. on	page 12)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test R

(Contd. of page 11)

· Other regulations, limitations and prohibitive regulations

· Substances of very high concern (SVHC) according to REACH, Article 57

Substance is not listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases


H314 Causes severe skin burns and eye damage.

R35 Causes severe burns.

 Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Flam. Liq. 2: Flammable liquids, Hazard Category 2 Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2 STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3 · Sources SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com

Printing date: September 16, 2014

Revision: September 16, 2014



GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test R 2nd Ampoule

	(Contd	I. of page 1)
	ion according to Directive 67/548/EEC or Directive 1999/45/EC	
🗙 Xn; Har		
R20/21/22:	Harmful by inhalation, in contact with skin and if swallowed.	
🗙 Xi; Irrita	ant	
R36:	Irritating to eyes.	
F; Highl	ly flammable	
R11:	Highly flammable.	
R52/53:	Harmful to aquatic organisms, may cause long-term adverse effects in the environment.	aquatic
The product preparations	n concerning particular hazards for human and environment: t has to be labelled due to the calculation procedure of the "General Classification guid s of the EU" in the latest valid version.	deline for
Classificati The classif literature da	fication is according to the latest editions of the EU-lists, and extended by comp	bany and
The classif	fication is in accordance with the latest editions of international substances list ted by information from technical literature and by information provided by the compan	
- Hazard pict		
· Signal word	d Danger	
propan-2-ol 1,3-dinitrobe Hazard stat H225 Highly H302 Harmi H311 Toxic H332 Harmi H319 Cause H336 May c H412 Harmi	enzene	
1 200		on page 3)

GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test R 2nd Ampoule

	Dool	(Contd. of page 2)
	P264 P305+P351+P338	Wash thoroughly after handling. BIF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
		present and easy to do. Continue rinsing.
	P304+P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for
		breathing.
	P370+P378	In case of fire: Use for extinction: CO2, powder or water spray. IF ON SKIN: Wash with plenty of water.
	P302+P352 P403+P235	Store in a well-ventilated place. Keep cool.
	P501	Dispose of contents/container in accordance with local/regional/national/international
		regulations.
	· Hazard description	
	· WHMIS-symbols:	
	B2 - Flammable lic	rial causing immediate and serious toxic effects
	· NFPA ratings (sc	ale 0 - 4)
	Health	-
	3 Fire = 3	
	2 0 Reactiv	
	· HMIS-ratings (sca	ale 0 - 4)
	HEALTH 2 Health	n = 2
	FIRE 3 Fire =	
	REACTIVITY O React	ivity = 0
	· HMIS Long Term	Health Hazard Substances
	Substance is not li	
	· 2.3 Other hazards	S
		nd vPvB assessment
	• PBT: Not applicab	
	· vPvB: Not applica	ble.
	SECTION 3: C	omposition/information on ingredients
	· 3.1 Substances	
	· CAS No. Descript	tion
	67-63-0 propan-2-	ol
	· Identification nur	
	• EC number: 200-0	
1	 Index number: 60 	JS-TT/-UU-U

· Index number: 603-117-00-0

(Contd. on page 4)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test R 2nd Ampoule

SECTION 4: First aid measures

(Contd. of page 3)		
· Dangerous components:		
CAS: 99-65-0 EINECS: 202-776-8 Index number: 609-004-00-2	1,3-dinitrobenzene T+ R26/27/28;	< 1,0%
	Acute Tox. 2, H300; Acute Tox. 1, H310; Acute Tox. 2, H330 STOT RE 2, H373 Aquatic Acute 1, H400; Aquatic Chronic 1, H410	

· 4.1 Description of first aid measures
General information:
Immediately remove any clothing soiled by the product.
Take affected persons out into the fresh air.
After inhalation: Supply fresh air; consult doctor in case of complaints.
· After skin contact:
Immediately wash with water and soap and rinse thoroughly.
If skin irritation continues, consult a doctor.
· After eye contact:
Remove contact lenses if worn.
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
· After swallowing:
Discourse with an electric planets of success

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

- · 4.2 Most important symptoms and effects, both acute and delayed
- Irritant to eves.

Slight irritant effect on skin and mucous membranes.

Dizziness

Thirst

Disorientation · Hazards

Harmful if swallowed.

Danger through skin adsorption. Possible risk of irreversible effects.

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

Medical supervision for at least 48 hours.

Vapours may cause drowsiness and dizziness.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · For safety reasons unsuitable extinguishing agents: None.
- · 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

(Contd. on page 5)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test R 2nd Ampoule

(Contd. of page 4)

5.3 Advice for firefighters

• **Protective equipment:** Wear self-contained respiratory protective device. Wear fully protective suit.

Additional information
 Eliminate all ignition sources if safe to do so.
 Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures
 Use respiratory protective device against the effects of fumes/dust/aerosol.
 Wear protective equipment. Keep unprotected persons away.
 Ensure adequate ventilation
 Keep away from ignition sources.
 Protect from heat.
 6.2 Environmental precautions:
 No special measures required.
 Dilute with plenty of water.
 6.3 Methods and material for containment and cleaning up:

Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders). Send for recovery or disposal in suitable receptacles. Clean the affected area carefully; suitable cleaners are:

Warm water

6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

• Information about fire - and explosion protection: Keep ignition sources away - Do not smoke.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.

Avoid storage near extreme heat, ignition sources or open flame.

• Information about storage in one common storage facility: Store away from oxidizing agents.

- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 6)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test R 2nd Ampoule

(Contd. of page 5)

Additional in	nformation about design of technical facilities: No further data; see iten	n 7.
8.1 Control	parameters	
Ingredients	with limit values that require monitoring at the workplace:	
67-63-0 prop		
PEL (USA)	Long-term value: 980 mg/m³, 400 ppm	
REL (USA)	Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm	
TLV (USA)	Short-term value: 984 mg/m³, 400 ppm Long-term value: 492 mg/m³, 200 ppm BEI	
EL (Canada)	Long-term value: 200 ppm	
EV (Canada)	Short-term value: 400 ppm Long-term value: 200 ppm	
99-65-0 1,3-0	dinitrobenzene	
PEL (USA)	Long-term value: 1 mg/m³ Skin	
REL (USA)	Long-term value: 1 mg/m³ Skin	
TLV (USA)	Long-term value: 1 mg/m³, 0,15 ppm Skin; BEI-M	
EL (Canada)	Long-term value: 0,15 ppm Skin	
EV (Canada)	Long-term value: 1,0 mg/m³, 0,15 ppm Skin	
	urther relevant information available. urther relevant information available.	
Ingredients	with biological limit values:	
67-63-0 prop	oan-2-ol	
Т	0 mg/L ledium: urine 'ime: end of shift at end of workweek 'arameter: Acetone (background, nonspecific)	
99-65-0 1,3-0	dinitrobenzene	
) Í N	,5 % of hemoglobin /ledium: blood 'ime: during or end of shift 'arameter: Methemoglobin (background, nonspecific, semi-quantitative)	

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test R 2nd Ampoule

(Contd. of page 6) · 8.2 Exposure controls · Personal protective equipment: · General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Do not inhale gases / fumes / aerosols. Avoid contact with the skin. Avoid contact with the eves. · Respiratory protection: Not required under normal conditions of use. For spills, respiratory protection may be advisable. · Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation. Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. · Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. · Eye protection: Safety glasses · Body protection: Protective work clothing Not required under normal conditions of use. Protection may be required for spills. · Limitation and supervision of exposure into the environment No further relevant information available. · Risk management measures See Section 7 for additional information. No further relevant information available.

(Contd. on page 8)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test R 2nd Ampoule

(Contd. of page 7)

SECTION 9: Physical and chen	SECTION 9: Physical and chemical properties					
 9.1 Information on basic physical and chemical properties General Information Appearance: 						
Form: Colour: · Odour: · Odour threshold:	Liquid Colourless Like alcohol Not determined.					
· pH-value:	Alkaline					
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Not Determined. Boiling Point Range: 182,3 ° F / 83,5 °C.					
· Flash point:	53,6 °F / 12 °C (PMCC)					
· Flammability (solid, gaseous):	Not applicable.					
 Auto/Self-ignition temperature: 	750 °F / 399 °C					
· Decomposition temperature:	Not determined.					
· Self-igniting:	Product is not self-igniting.					
· Danger of explosion:	Product is not explosive. However, formation of explosive air/ vapour mixtures are possible.					
 Explosion limits: Lower: Upper: 	2,0 Vol % (propan-2-ol) 12,7 Vol % (propan-2-ol)					
 Vapour pressure at 20 °C: 	43 hPa					
 Density at 20 °C: Relative density Vapour density Evaporation rate at 20 °C 	0,81 g/cm ³ Not determined. Not determined. 0,6 (Butyl Acetate = 1.0)					
 Solubility in / Miscibility with water: 	Soluble.					
· Partition coefficient (n-octanol/water)	· Partition coefficient (n-octanol/water): Not determined.					
 Viscosity: Dynamic: Kinematic: 9.2 Other information 	Not determined. Not determined. No further relevant information available.					

(Contd. on page 9)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test R 2nd Ampoule

(Contd. of page 8)

SECTION 10: Stability and reactivity

· 10.1 Reactivity

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- **10.3 Possibility of hazardous reactions** Flammable.

Reacts violently with oxidizing agents.

Used empty containers may contain product gases which form explosive mixtures with air.

Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomised.

- **10.4 Conditions to avoid** Keep ignition sources away - Do not smoke. Store away from oxidizing agents.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide

· Acute toxicity:					
LD/LC50 values relevant for classification: 67-63-0 propan-2-ol					
Oral	LD50				
Dermal		12800 mg/kg (rabbit)			
		n 30 mg/l (rat)			
99-65-0 1,3-dinitrobenzene					
Oral	LD50	83 mg/kg (rat)			
 Primary irritant effect: on the skin: No irritant effect. on the eye: Irritating effect. Sensitization: No sensitizing effects known. Additional toxicological information: The product shows the following dangers according to the calculation method of the General E Classification Guidelines for Preparations as issued in the latest version: Irritant Inhalation of concentrated vapours as well as oral intake will lead to anaesthesia-like conditions ar headache, dizziness, etc. Acute effects (acute toxicity, irritation and corrosivity): Vapours have narcotic effect. Danger through skin adsorption. Repeated dose toxicity: May cause damage to organs through prolonged or repeated exposure. 					

(Contd. on page 10)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test R 2nd Ampoule

(Contd. of page 9)

SECTION 12: Ecological information

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 2 (German Regulation) (Assessment by list): hazardous for water Toxic for aquatic organisms

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

Due to available data on eliminability/decomposition and bioaccumulation potential a prolonged damage of the environment is unlikely.

- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · **vPvB:** Not applicable.

· 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

After prior treatment product has to be disposed of in an incinerator for hazardous waste adhering to the regulations pertaining to the disposal of particularly hazardous waste.

Must not be disposed together with household garbage. Do not allow product to reach sewage system. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

· 14.1 UN-Number

· DOT, ADR, IMDG, IATA

· 14.2 UN proper shipping name

· DOT

- · ADR
- · IMDG, IATA

UN1219

Isopropanol (Isopropyl alcohol) 1219 ISOPROPANOL (ISOPROPYL ALCOHOL) ISOPROPANOL (ISOPROPYL ALCOHOL) (Contd. on page 11)

Printing date: September 16, 2014

Revision: September 16, 2014

ade name: NIK Test R 2nd Ampoule	
 · 14.3 Transport hazard class(es) · DOT 	(Contd. of page 1
*	
· Class · Label	3 Flammable liquids. 3
· ADR	
· Class	3 (F1) Flammable liquids.
· Label	3
 Class Label 14.4 Packing group DOT, ADR, IMDG, IATA 14.5 Environmental hazards: Marine pollutant: 14.6 Special precautions for user Danger code (Kemler): EMS Number: 14.7 Transport in bulk according to Annex II of 	3 Flammable liquids. 3 II No Warning: Flammable liquids. 33 F-E,S-D
MARPOL73/78 and the IBC Code • Transport/Additional information:	Not applicable.
 ADR Limited quantities (LQ) Excepted quantities (EQ) 	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
 Transport category Tunnel restriction code 	2 D/E
 IMDG Limited quantities (LQ) Excepted quantities (EQ) 	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml (Contd. on page 1

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test R 2nd Ampoule

· UN "Model Regulation":

(Contd. of page 11) UN1219, ISOPROPANOL (ISOPROPYL ALCOHOL), 3, II

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the subst United States (USA) 	ance or mixture
· SARA	
 Section 355 (extremely hazardous substances): 	
Substance is not listed.	
· Section 313 (Specific toxic chemical listings):	
Substance is listed.	
· TSCA (Toxic Substances Control Act):	
Substance is listed.	
· Proposition 65 (California):	
· Chemicals known to cause cancer:	
Substance is not listed.	
 Chemicals known to cause reproductive toxicity for females: 	
Substance is not listed.	
· Chemicals known to cause reproductive toxicity for males:	
99-65-0 1,3-dinitrobenzene	
Chemicals known to cause developmental toxicity:	
Substance is not listed.	
· Carcinogenic Categories	
· EPA (Environmental Protection Agency)	
99-65-0 1,3-dinitrobenzene	D
IARC (International Agency for Research on Cancer)	<u> </u>
67-63-0 propan-2-ol	3
TLV (Threshold Limit Value established by ACGIH)	
67-63-0 propan-2-ol	A4
· NIOSH-Ca (National Institute for Occupational Safety and Health)	
Substance is not listed.	
· Canada	
· Canadian Domestic Substances List (DSL)	
Substance is listed.	
· Canadian Ingredient Disclosure list (limit 0.1%)	
Substance is not listed.	
· Canadian Ingredient Disclosure list (limit 1%)	
Substance is listed.	
	(Contd. on page 13)

(Contd. of page 12)

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test R 2nd Ampoule

· Other regulations, limitations and prohibitive regulations

Substances of very high concern (SVHC) according to REACH, Article 57

Substance is not listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. · Relevant phrases

H300 Fatal if swallowed.

H310 Fatal in contact with skin.

H330 Fatal if inhaled.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

R26/27/28 Very toxic by inhalation, in contact with skin and if swallowed.

R33 Danger of cumulative effects.

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Flam. Liq. 2: Flammable liquids, Hazard Category 2

Acute Tox. 2: Acute toxicity, Hazard Category 2

Acute Tox. 4: Acute toxicity, Hazard Category 4

Acute Tox. 1: Acute toxicity, Hazard Category 1

Acute Tox. 3: Acute toxicity, Hazard Category 3

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3 STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3

Sources

SDS Prepared by: ChemTel Inc.

(Contd. on page 14)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test R 2nd Ampoule

(Contd. of page 13)

1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com