Printing date: September 16, 2014

Revision: September 16, 2014

SECTION 1: Identification of the substance/mixture and of the company/ undertaking
· 1.1 Product identifier
· Trade name: <u>NIK Test E</u>
 Article number: 800-6075 (1006153) 1.2 Relevant identified uses of the substance or mixture and uses advised against Duquenois-Levine Reagent / Marijuana (THC) Test Kit
 1.3 Details of the supplier of the Safety Data Sheet Manufacturer/Supplier: Safariland, LLC 13386 International Parkway Jacksonville, FL 32218 Customer Care (800) 347-1200 1.4 Emergency telephone number:
• 1.4 Emergency telephone number: ChemTel Inc. (800)255-3924, +1 (813)248-0585
SECTION 2: Hazards identification
 • 2.1 Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008 flame
Flam. Liq. 2 H225 Highly flammable liquid and vapour.
Carc. 2 H351 Suspected of causing cancer.
Eye Irrit. 2 H319 Causes serious eye irritation.
Classification according to Directive 67/548/EEC or Directive 1999/45/EC Xn; Harmful
R40: Limited evidence of a carcinogenic effect.
🗙 Xi; Irritant
R36: Irritating to eyes.
F; Highly flammable
R11: Highly flammable.
 Information concerning particular hazards for human and environment: The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.
(Contd. on page 2)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test E

(Contd. of page 1)

 Classification system: The classification is according to the IaNIK Test Editions of the EU-lists, and extended by company and literature data.

The classification is in accordance with the IaNIK Test Editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

- The product is classified and labelled according to the CLP regulation.
- · Hazard pictograms



· Signal word Danger

• Hazard-determining components of labelling: acetaldehyde

· Hazard statements

The following Hazard Statements are applicale only according to OSHA regulations within the United States. These Statements are not applicable for the CLP regulation (1272/2008/EC) in the EU. H350, H360.

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H351 Suspected of causing cancer.

Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P281 Use personal protective equipment as required.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P370+P378 In case of fire: Use for extinction: CO2, powder or water spray.

· Hazard description:

· WHMIS-symbols:

B2 - Flammable liquid

D2A - Very toxic material causing other toxic effects



· NFPA ratings (scale 0 - 4)

Health = 2 Fire = 3 Reactivity = 0

(Contd. on page 3)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test E

		(Contd. of page
· HMIS-ratings (scale 0 - 4)		
HEALTH12Health = *2FIRE3Fire = 3REACTIVITY0Reactivity = 0		
· HMIS Long Term Health Ha	zard Substances	
64-17-5 ethanol		
75-07-0 acetaldehyde		
 2.3 Other hazards Results of PBT and vPvB a PBT: Not applicable. vPvB: Not applicable. 	ssessment	
SECTION 3: Compositi · 3.2 Mixtures	on/information on ingredients	
Description: Mixture of subs	tances listed below with nonhazardous additions.	
· Dangerous components:		
CAS: 64-17-5 EINECS: 200-578-6	ethanol Xi R36; F R11	50-100
Index number: 603-002-00-5		
CAS: 75-07-0 EINECS: 200-836-8 Index number: 605-003-00-6	 ♦ Eye Irrit. 2, H319 acetaldehyde Xn R40; Xi R36/37; F+ R12 	1-5%
CAS: 75-07-0 EINECS: 200-836-8 Index number: 605-003-00-6	 ♦ Eye Irrit. 2, H319 acetaldehyde Xn R40; Xi R36/37; F+ R12 Carc. Cat. 3 ♦ Flam. Liq. 1, H224 ♦ Carc. 2, H351 ♦ Eye Irrit. 2, H319; STOT SE 3, H335 	1-5%
CAS: 75-07-0 EINECS: 200-836-8	 ♦ Eye Irrit. 2, H319 acetaldehyde Xn R40; Xi R36/37; F+ R12 Carc. Cat. 3 ♦ Flam. Liq. 1, H224 ♦ Carc. 2, H351 	
CAS: 75-07-0 EINECS: 200-836-8 Index number: 605-003-00-6 CAS: 121-33-5	 ♦ Eye Irrit. 2, H319 acetaldehyde Xn R40; Xi R36/37; F+ R12 Carc. Cat. 3 ♦ Flam. Liq. 1, H224 ♦ Carc. 2, H351 ♦ Eye Irrit. 2, H319; STOT SE 3, H335 vanillin Xn R22; Xi R36 ♦ Eye Irrit. 2, H319 	1-5%
CAS: 75-07-0 EINECS: 200-836-8 Index number: 605-003-00-6 CAS: 121-33-5 EINECS: 204-465-2 • Dangerous Components (A CAS: 64-17-5 EINECS: 200-578-6	 ♦ Eye Irrit. 2, H319 acetaldehyde Xn R40; Xi R36/37; F+ R12 Carc. Cat. 3 ♦ Flam. Liq. 1, H224 ♦ Carc. 2, H351 ♦ Eye Irrit. 2, H319; STOT SE 3, H335 vanillin Xn R22; Xi R36 ♦ Eye Irrit. 2, H319 	

(Contd. on page 4)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test E

(Contd. of page 3)

SECTION 4: First aid measures
· 4.1 Description of first aid measures
· General information:
Immediately remove any clothing soiled by the product.
Take affected persons out into the fresh air.
· After inhalation:
Supply fresh air; consult doctor in case of complaints.
Provide oxygen treatment if affected person has difficulty breathing.
In case of irregular breathing or respiratory arrest provide artificial respiration.
After skin contact:
Immediately remove any clothing soiled by the product.
Immediately rinse with water.
If skin irritation continues, consult a doctor.
· After eye contact:
Remove contact lenses if worn.
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
· After swallowing:
Rinse out mouth and then drink plenty of water.
Do not induce vomiting; call for medical help immediately.
• 4.2 Most important symptoms and effects, both acute and delayed
Headache
Irritant to eyes.
Slight irritant effect on skin and mucous membranes.
Gastric or intestinal disorders when ingested.
Nausea in case of ingestion.
Dizziness
Disorientation
Unconsciousness
· Hazards
Harmful if swallowed.
Danger of disturbed cardiac rhythm.
Danger of convulsion.
 4.3 Indication of any immediate medical attention and special treatment needed
Monitor circulation, possible shock treatment.
Medical supervision for at least 48 hours.
SECTION 5: Firefighting measures

· 5.1 Extinguishing media

- Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: None.
- \cdot 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

(Contd. on page 5)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test E

(Contd. of page 4)

- 5.3 Advice for firefighters
- **Protective equipment:** Wear self-contained respiratory protective device. Wear fully protective suit.
- Additional information
 Eliminate all ignition sources if safe to do so.
 Cool endangered receptacles with water spray.
 Use large quantities of foam as it is partially destroyed by the product.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures
Use respiratory protective device against the effects of fumes/dust/aerosol.
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Keep away from ignition sources.
Protect from heat.

6.2 Environmental precautions:
Do not allow to enter sewers/ surface or ground water.
Inform respective authorities in case of seepage into water course or sewage system.

6.3 Methods and material for containment and cleaning up:
Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders).
Pick up mechanically.
Send for recovery or disposal in suitable receptacles.
Dispose contaminated material as waste according to item 13.
Used rags or other cleaning materials should be soaked with water and placed in a sealed container.

6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

Rags, metal wools / cuttings / shavings and waste papers soaked with product must be placed in a sealed metal container rated for flammable waste.

Use only in well ventilated areas.

 Information about fire - and explosion protection: Keep ignition sources away - Do not smoke.
 Protect against electrostatic charges.
 Flammable gas-air mixtures may form in empty receptacles.
 Fumes can combine with air to form an explosive mixture.

(Contd. on page 6)

(Contd. of page 5)

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test E

7.2 Conditions for safe storage, including any incompatibilities
Storage:
Requirements to be met by storerooms and receptacles: Store in a cool location. Provide ventilation for receptacles. Avoid storage near extreme heat, ignition sources or open flame.
Information about storage in one common storage facility: Store away from foodstuffs. Store away from oxidizing agents. Do not store together with acids.
Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles. Keep container tightly sealed.

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

 Ingredients with limit values that require monitoring at the workplace:

64-17-5 ethanol

PEL (USA) Long-term value: 1900 mg/m³, 1000 ppm

REL (USA)Long-term value: 1900 mg/m³, 1000 ppmTLV (USA)Short-term value: 1880 mg/m³, 1000 ppm

EL (Canada) Short-term value: 1000 ppm

EV (Canada) Long-term value: 1,900 mg/m³, 1,000 ppm

75-07-0 acetaldehyde

PEL (USA) Long-term value: 360 mg/m³, 200 ppm

REL (USA) See Pocket Guide Apps. A and C

- TLV (USA) Ceiling limit: 45 mg/m³, 25 ppm
- EL (Canada) Ceiling limit: 25 ppm IARC 2B
- EV (Canada) Ceiling limit: 25 ppm

121-33-5 vanillin

WEEL (USA) Long-term value: 10 mg/m³

• **DNELs** No further relevant information available.

• **PNECs** No further relevant information available.

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

· Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

(Contd. on page 7)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test E

(Contd. of page 6) Wash hands before breaks and at the end of work. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Do not inhale gases / fumes / aerosols. Avoid contact with the eyes and skin. Pregnant women should strictly avoid inhalation or skin contact. • Respiratory protection: Not required under normal conditions of use. Use suitable respiratory protective device when aerosol or mist is formed. Use suitable respiratory protective device when high concentrations are present. For spills, respiratory protection may be advisable. • Protection of hands:
Protective gloves
 The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation. Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
Safety glasses
 Body protection: Protective work clothing Limitation and supervision of exposure into the environment No further relevant information available. Risk management measures See Section 7 for additional information. No further relevant information available.
SECTION 9: Physical and chemical properties
 9.1 Information on basic physical and chemical properties General Information Appearance:

Form:LiquidColour:Colourless• Odour:Alcohol-like

(Contd. on page 8)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name:	NIK Test E
-------------	------------

	(Contd. of page 7)
· Odour threshold:	Not determined.
· pH-value:	Not determined.
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Not Determined. 172° F / 78 °C
· Flash point:	55° F / 13 °C
· Flammability (solid, gaseous):	Not applicable.
· Auto/Self-ignition temperature:	Not determined.
· Decomposition temperature:	Not determined.
· Self-igniting:	Product is not self-igniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/ vapour mixtures are possible.
 Explosion limits: Lower: Upper: 	3,5 Vol % 15,0 Vol %
 Vapour pressure at 20 °C: 	59 hPa
 Density at 20 °C: Relative density Vapour density Evaporation rate 	0,8 g/cm ³ Not determined. Not determined. Not determined.
 Solubility in / Miscibility with water: 	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/water): Not determined.
 Viscosity: Dynamic: Kinematic: 9.2 Other information 	Not determined. Not determined. No further relevant information available.

SECTION 10: Stability and reactivity

· 10.1 Reactivity

10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: Keep away from heat and direct sunlight.

• 10.3 Possibility of hazardous reactions

Flammable.

Reacts violently with oxidizing agents.

Used empty containers may contain product gases which form explosive mixtures with air. Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomised. Toxic fumes may be released if heated above the decomposition point.

(Contd. on page 9)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test E

(Contd. of page 8)

• **10.4 Conditions to avoid** Keep ignition sources away - Do not smoke. Store away from oxidizing agents. Keep away from heat and direct sunlight.

- **10.5 Incompatible materials:** No further relevant information available.
- 10.6 Hazardous decomposition products:
- Carbon monoxide and carbon dioxide Nitrogen oxides (NOx)

SECTION 11: Toxicological information

11.1 Information on toxicological effects

· Acute toxicity:

· LD/LC50 values relevant for classification:

64-17-5 ethanol

Oral LD50 7060 mg/kg (rat)

Inhalative LC50/4h 20000 mg/l (rat)

75-07-0 acetaldehyde

Oral LD50 661 mg/kg (rat)

Inhalative LC50/4h 37 mg/l (rat)

121-33-5 vanillin

Oral LD50 3300 mg/kg (rat)

- · Primary irritant effect:
- on the skin: Slight irritant effect on skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Irritant

• Acute effects (acute toxicity, irritation and corrosivity): Harmful if swallowed.

• Repeated dose toxicity: Repeated exposure may cause skin dryness or cracking.

 \cdot CMR effects (carcinogenity, mutagenicity and toxicity for reproduction):

Carc. 2

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability biodegradable
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.

(Contd. on page 10)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test E

(Contd. of page 9)

- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Due to available data on eliminability/decomposition and bioaccumulation potential a prolonged damage of the environment is unlikely.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations. Contact waste processors for recycling information.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information	
· 14.1 UN-Number	
· DOT, ADR, IMDG, IATA	UN1170
 14.2 UN proper shipping name 	
·DOT	Ethanol solutions
· ADR	1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
·IMDG	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
·IATA	ETHANOL SOLUTION
 14.3 Transport hazard class(es) 	
· DOT	
· Class	3 Flammable liquids.
	(Contd. on page 11)

Printing date: September 16, 2014

Revision: September 16, 2014

· Label · ADR	(Contd. of page 10
· ADR	
*	
· Class	3 (F1) Flammable liquids.
· Label	3
*	
· Class	3 Flammable liquids.
 Label 14.4 Packing group 	3
· DOT, ADR, IMDG, IATA	II
 14.5 Environmental hazards: 	
 Marine pollutant: 14.6 Special precautions for user 	No Warning: Flammable liquids.
• Danger code (Kemler):	33
· EMS Number:	F-E, <u>S-E</u>
14.7 Transport in bulk according to Annex II MARPOL73/78 and the IBC Code	
• Transport/Additional information:	Not applicable.
· ADR	
· Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· Transport category	2
· Tunnel restriction code	D/E
·IMDG	
 Limited quantities (LQ) Excepted quantities (EQ) 	1L Code: E2
- LACEPIEU quantities (LW)	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN1170, ETHANOL SOLUTION (ETHYL ALCOHO SOLUTION), 3, II

(Contd. on page 12)

Printing date: September 16, 2014

SECTION 15: Pogulatory information

Revision: September 16, 2014

Trade name: NIK Test E

(Contd. of page 11)

15.1 Safety, health and environmental regulations/legislation specific for the United States (USA) SARA	substance or mixtu
Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
Section 313 (Specific toxic chemical listings):	
75-07-0 acetaldehyde	
TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
Proposition 65 (California):	
Chemicals known to cause cancer:	
75-07-0 acetaldehyde	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients are listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity: Ethanol - listing refers specifically to alcoholic beverage consumption and is not ap	oplicable for product.
64-17-5 ethanol	
Carcinogenic Categories	
EPA (Environmental Protection Agency)	
75-07-0 acetaldehyde	E
IARC (International Agency for Research on Cancer)	
64-17-5 ethanol	
75-07-0 acetaldehyde	
TLV (Threshold Limit Value established by ACGIH)	
64-17-5 ethanol	A
75-07-0 acetaldehyde	F
NIOSH-Ca (National Institute for Occupational Safety and Health)	
75-07-0 acetaldehyde	
Canada	
Canadian Domestic Substances List (DSL)	
All ingredients are listed.	
Canadian Ingredient Disclosure list (limit 0.1%)	
64-17-5 ethanol	
Canadian Ingredient Disclosure list (limit 1%)	

GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test E

(Contd. of page 12)

Other regulations, limitations and prohibitive regulations This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

· Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H224 Extremely flammable liquid and vapour.

- H225 Highly flammable liquid and vapour.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- H351 Suspected of causing cancer.
- R11 Highly flammable.
- R12 Extremely flammable.
- R22 Harmful if swallowed.
- R36 Irritating to eyes.
- R36/37 Irritating to eyes and respiratory system.
- R40 Limited evidence of a carcinogenic effect.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Flam. Liq. 1: Flammable liquids, Hazard Category 1 Flam. Liq. 2: Flammable liquids, Hazard Category 2 Eve Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2 Carc. 2: Carcinogenicity, Hazard Category 2 STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3 Sources SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 (Contd. on page 14)

(Contd. of page 13)

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test E

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com

Printing date: September 16, 2014

Revision: September 16, 2014



Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test E 2nd Ampoule

(Contd. of page 1) · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. · Hazard pictograms GHS05 GHS07 · Signal word Danger · Hazard-determining components of labelling: hydrochloric acid · Hazard statements H290 May be corrosive to metals. H314 Causes severe skin burns and eve damage. H335 May cause respiratory irritation. Precautionary statements P280 Wear protective gloves/protective clothing/eye protection/face protection. Do not breathe mist/vapours/spray. P260 P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P310 Immediately call a POISON CENTER/doctor. Hazard description: · WHMIS-symbols: D2B - Toxic material causing other toxic effects E - Corrosive material · NFPA ratings (scale 0 - 4) Health = 3Fire = 0Reactivity = 0 HMIS-ratings (scale 0 - 4) 3 Health = 3 HEALTH 0 Fire = 0FIRE **REACTIVITY** Reactivity = 0 · HMIS Long Term Health Hazard Substances None of the ingredients is listed. (Contd. on page 3)

(Contd. of page 2)

25-50%

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and

GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test E 2nd Ampoule

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 7647-01-0 EINECS: 231-595-7 Index number: 017-002-00-2

hydrochloric acid C R34; Xi R37 Met. Corr.1, H290; Skin Corr. 1B, H314 STOT SE 3, H335

· Additional information: For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information: Immediately remove any clothing soiled by the product.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact:

Immediately remove any clothing soiled by the product.

Immediately rinse with water.

If skin irritation is experienced, consult a doctor.

Seek immediate medical help for blistering or open wounds.

· After eye contact:

Protect unharmed eye. Remove contact lenses if worn.

Rinse opened eve for several minutes under running water. Then consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

- 4.2 Most important symptoms and effects, both acute and delayed

Coughing

Breathing difficulty

Gastric or intestinal disorders.

Nausea

Strong caustic effect on skin and mucous membranes.

· Hazards

Danger of gastric perforation. Danger of impaired breathing. Danger of severe eye injury. May cause respiratory irritation. May be harmful if inhaled.

(Contd. on page 4)

(Contd. of page 3)

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and

GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test E 2nd Ampoule

• 4.3 Indication of any immediate medical attention and special treatment needed If necessary oxygen respiration treatment.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- For safety reasons unsuitable extinguishing agents: None.
- · 5.2 Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- 5.3 Advice for firefighters
- · Protective equipment:
- Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information No further relevant information available.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures
 For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.
 Ensure adequate ventilation
 Wear protective equipment. Keep unprotected persons away.
 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
 6.3 Methods and material for containment and cleaning up:
- Use limestone to neutralize and absorb spill. Clean the affected area carefully; suitable cleaners are: Warm water Dispose contaminated material as waste according to item 13. • 6.4 Reference to other sections
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Use only in well ventilated areas. Prevent formation of aerosols. Avoid splashes or spray in enclosed areas.
- Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- \cdot Information about storage in one common storage facility:
- Store away from oxidizing agents.

(Contd. on page 5)

(Contd. of page 4)

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and

GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test E 2nd Ampoule

Store away from foodstuffs. Do not store together with alkalis (caustic solutions). Store away from metals.

· Further information about storage conditions: Keep container tightly sealed.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

7647-01-0 hydrochloric acid

IOELV (EU) Short-term value: 15 mg/m³, 10 ppm Long-term value: 8 mg/m³, 5 ppm

PEL (USA) Short-term value: C 7 mg/m³. C 5 ppm

- REL (USA) Short-term value: C 7 mg/m³, C 5 ppm
- TLV (USA) Short-term value: C 2,98 mg/m³, C 2 ppm
- EL (Canada) Short-term value: C 2 ppm

· Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- · Personal protective equipment:

· General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eves and skin.

Do not inhale gases / fumes / aerosols.

· Respiratory protection:

Not necessary if room is well-ventilated. Use suitable respiratory protective device when aerosol or mist is formed. For spills, respiratory protection may be advisable. · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

· Material of gloves

Sensibilization by the components in the glove materials is possible.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several

(Contd. on page 6)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test E 2nd Ampoule

(Contd. of page 5)

substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- · Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- · For the permanent contact gloves made of the following materials are suitable: Nitrile rubber, NBR Neoprene gloves PVC gloves
 - Natural rubber, NR
- · Not suitable are gloves made of the following materials: **PVA** gloves Leather gloves
- · Eye protection:

Contact lenses should not be worn.

Safety glasses

- · Body protection: Acid resistant protective clothing
- · Limitation and supervision of exposure into the environment
- No further relevant information available.
- · Risk management measures No further relevant information available.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information Annoaranco

 Appearance: Form: Colour: Odour: Odour threshold: 	Liquid Colourless Pungent Not determined.
· pH-value at 20 °C:	< 1
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Not Determined. < 104 °C (212 °F)
· Flash point:	Not applicable.
 Flammability (solid, gaseous): 	Not applicable.
· Auto/Self-ignition temperature:	Not determined.
· Decomposition temperature:	Not determined.
· Self-igniting:	Product is not self-igniting.
· Danger of explosion:	Product does not present an explosion hazard.

(Contd. on page 7)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test E 2nd Ampoule

 Explosion limits: Lower: Upper: 	Not determined.	
	Not determined.	
 Vapour pressure at 20 °C: 	23 hPa	
 Density at 20 °C: Relative density Vapour density Evaporation rate 	1,16 g/cm ³ Not determined. Not determined. Not determined.	
 Solubility in / Miscibility with water: 	Fully miscible.	
· Partition coefficient (n-octanol/wate	er): Not determined.	
 Viscosity: Dynamic: Kinematic: 	Not determined. Not determined.	
 Solvent content: Organic solvents: Water: 9.2 Other information 	0,0 % 68,6 % No further relevant information available.	
SECTION 10: Stability and rea	octivity	

• Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous reactions
 Toxic fumes may be released if heated above the decomposition point.
 Reacts with alkali (lyes).
 Reacts with strong oxidizing agents.
 Reacts with amines.
 Corrosive action on metals.
 Reacts with metals forming hydrogen.
 10.4 Conditions to avoid Store away from oxidizing agents.
 10.5 Incompatible materials: No further relevant information available.
 10.6 Hazardous decomposition products:
 Chlorine compounds
 Hydrogen chloride (HCI)
 Output
 Description:
 Description:
 React:
 Description:
 Description:
 Description:
 Total comparison:
 Description:
 Description:
 Description:
 Description:
 Chlorine compounds
 Hydrogen chloride (HCI)
 Description:
 Desc

(Contd. on page 8)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test E 2nd Ampoule

(Contd. of page 7)

SECTION 11: Toxicological information

• 11.1 Information on toxicological effects

· Acute toxicity:

· LD/LC50 values relevant for classification:

7647-01-0 hydrochloric acid

Oral LD50 900 mg/kg (rabbit)

- · Primary irritant effect:
- on the skin: Caustic effect on skin and mucous membranes.
- on the eye: Strong caustic effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Corrosive Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

 Acute effects (acute toxicity, irritation and corrosivity): May be harmful if inhaled. Irritating to respiratory system.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: The product contains materials that are harmful to the environment.
- 12.2 Persistence and degradability A part of the components is biodegradable.
- 12.3 Bioaccumulative potential Does not accumulate in organisms.
- 12.4 Mobility in soil No further relevant information available.
- Ecotoxical effects:
- · Remark: After neutralization a reduction of the harming action may be recognized
- Additional ecological information:
- · General notes:
- At present there are no ecotoxicological assessments.

This statement was deduced from the properties of the single components.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

· 12.5 Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· **vPvB:** Not applicable.

(Contd. on page 9)

(Contd. of page 8)

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test E 2nd Ampoule

• 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

Can be disposed of with household garbage with prior chemical-physical or biological treatment following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

· Uncleaned packaging:

- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water only.

SECTION 14: Transport information	n	
 · 14.1 UN-Number · DOT, ADR, IMDG, IATA · 14.2 UN proper shipping name · DOT · ADR · IMDG, IATA · 14.3 Transport hazard class(es) 	UN1789 HYDROCHLORIC ACID 1789 HYDROCHLORIC ACID, solution HYDROCHLORIC ACID, solution	
- DOT		
· Class · Label	8 Corrosive substances. 8	
· ADR		
· Class	8 (C1) Corrosive substances.	ontd. on page 10)

Printing date: September 16, 2014

Г

Revision: September 16, 2014

	(Contd. of page s
· Label	8
· IMDG, IATA	
the second se	
· Class	8 Corrosive substances.
· Label	8
 14.4 Packing group 	
· DOT, ADR, IMDG, IATA	II
 14.5 Environmental hazards: 	
• Marine pollutant:	No
 14.6 Special precautions for user 	Warning: Corrosive substances.
· Danger code (Kemler):	80
· EMS Number:	F-A,S-B
 Segregation groups 	Acids
 14.7 Transport in bulk according to Ann 	nex II of
MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR	
 Limited quantities (LQ) 	1L
· Transport category	2
Tunnel restriction code	E
· UN "Model Regulation":	UN1789, HYDROCHLORIC ACID, solution, 8, II

SECTION 15: Regulatory information

 \cdot 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot United States (USA)

·SARA

 Section 355 (extremely hazard 	ous substances):
---	------------------

7647-01-0 hydrochloric acid

Section 313 (Specific toxic chemical listings):

7647-01-0 hydrochloric acid

• TSCA (Toxic Substances Control Act):

All ingredients are listed.

Proposition 65 (California):

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

(Contd. on page 11)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test E 2nd Ampoule

	(Contd. of pa	age
	Chemicals known to cause reproductive toxicity for males:	
	None of the ingredients is listed.	
	Chemicals known to cause developmental toxicity:	
	None of the ingredients is listed.	
	Carcinogenic Categories	
	EPA (Environmental Protection Agency)	
	None of the ingredients is listed.	
	IARC (International Agency for Research on Cancer)	
	7647-01-0 hydrochloric acid	
	TLV (Threshold Limit Value established by ACGIH)	
	7647-01-0 hydrochloric acid	1
	NIOSH-Ca (National Institute for Occupational Safety and Health)	
	None of the ingredients is listed.	
	Canada	
	Canadian Domestic Substances List (DSL)	
	All ingredients are listed.	
	Canadian Ingredient Disclosure list (limit 0.1%)	
	None of the ingredients is listed.	
	Canadian Ingredient Disclosure list (limit 1%)	
	7647-01-0 hydrochloric acid	
1	Other regulations, limitations and prohibitive regulations	
	This product has been classified in accordance with hazard criteria of the Controlled Products Regula	atio
	and the SDS contains all the information required by the Controlled Products Regulations.	
	Substances of very high concern (SVHC) according to REACH, Article 57	
	None of the ingredients is listed.	
	15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	
-		
	SECTION 16: Other information	
	This information is based on our present knowledge. However, this shall not constitute a guarantee for	or a
	specific product features and shall not establish a legally valid contractual relationship.	

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

R34 Causes burns.

R37 Irritating to respiratory system.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 12)

Printing date: September 16, 2014


Revision: September 16, 2014

Trade name: NIK Test E 2nd Ampoule

(Contd. of page 11) DOT: US Department of Transportation IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Met. Corr. 1: Corrosive to metals, Hazard Category 1 Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

Printing date: September 16, 2014

Revision: September 16, 2014



GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test E 3rd Ampoule

	(Contd. of page
🗙 Xi; Irrita	ant
R38:	Irritating to skin.
Carc. Cat.	
	n concerning particular hazards for human and environment: Not applicable.
· 2.2 Label e	elements
	according to Regulation (EC) No 1272/2008
	nce is classified and labelled according to the CLP regulation.
Hazard pic	tograms
\wedge	
$\langle \cdot \rangle \langle \cdot \rangle$	
GHS07 GH	
Signal wor	d Warning
Hazard-de	termining components of labelling:
trichlorome	
Hazard sta	
	ing Hazard Statements are applicale only according to OSHA regulations within the Unite
	ese Statements are not applicable for the CLP regulation (1272/2008/EC) in the EU. H336. B H336 May cause drowsiness or dizziness.
	Inful if swallowed.
	es skin irritation.
	ected of causing cancer.
	cause damage to organs through prolonged or repeated exposure. Route of exposure: Ora
	ative.
Precaution P281	nary statements Use personal protective equipment as required.
P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe mist/vapours/spray.
P314	Get medical advice/attention if you feel unwell.
	2 IF ON SKIN: Wash with plenty of soap and water.
P501	Dispose of contents/container in accordance with local/regional/national/international
Additional	regulations.
	ndustrial installations only.
Hazard de	
WHMIS-sy	
	c material causing immediate and serious toxic effects
D2A - Very	toxic material causing other toxic effects
\bigcap	
(💥)(¯	
	(Contd. on page)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test E 3rd Ampoule

(Contd. of page 2)

· NFPA ratings (scale 0 - 4)



Health = 2 Fire = 0 Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH12Health = *2FIRE0Fire = 0REACTIVITY0Reactivity = 0

* - Indicates a long term health hazard from repeated or prolonged exposures.

HMIS Long Term Health Hazard Substances

Substance is not listed.

· 2.3 Other hazards

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.1 Substances
- · CAS No. Description
- 67-66-3 trichloromethane
- Identification number(s)
- EC number: 200-663-8
- · Index number: 602-006-00-4

SECTION 4: First aid measures

\cdot 4.1 Description of first aid measures

· General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Immediately remove any clothing soiled by the product.

In case of irregular breathing or respiratory arrest provide artificial respiration.

- · After inhalation:
- Supply fresh air; consult doctor in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

- After skin contact:
 Immediately remove any clothing soiled by the product.
 Immediately wash with water and soap and rinse thoroughly.
- If skin irritation continues, consult a doctor.
- · After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

(Contd. on page 4)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test E 3rd Ampoule

(Contd. of page 3) · After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; call for medical help immediately. · 4.2 Most important symptoms and effects, both acute and delayed Breathing difficulty Coughing Dizziness May cause respiratory irritation. Irritant to skin and mucous membranes. Disorientation Unconsciousness Hazards Danger of cerebral oedema. Danger of convulsion. Danger of impaired breathing. Limited evidence of a carcinogenic effect. Danger of serious damage to health by prolonged exposure. Vapours may cause drowsiness and dizziness. Causes damage to organs through prolonged or repeated exposure. 4.3 Indication of any immediate medical attention and special treatment needed If swallowed, gastric irrigation with added, activated carbon. May produce a hepatotoxic / neurotoxic effect. If necessary oxygen respiration treatment. Medical supervision for at least 48 hours. SECTION 5: Firefighting measures · 5.1 Extinguishing media

- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- For safety reasons unsuitable extinguishing agents: None.
- 5.2 Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced. Formation of toxic gases is possible during heating or in case of fire.
- 5.3 Advice for firefighters
- Protective equipment:
- Wear self-contained respiratory protective device.
- Wear fully protective suit.
- Additional information No further relevant information available.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures For large spills, wear protective clothing.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol. Ensure adequate ventilation

• 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

(Contd. on page 5)

(Contd. of page 4)

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and

GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test E 3rd Ampoule

- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Send for recovery or disposal in suitable receptacles. Dispose contaminated material as waste according to item 13.
 6.4 Reference to other sections
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Use only in well ventilated areas. Keep away from heat and direct sunlight. Avoid splashes or spray in enclosed areas.

- Information about fire and explosion protection: Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:

• Requirements to be met by storerooms and receptacles: Store only in the original receptacle.

- · Information about storage in one common storage facility:
- Store away from foodstuffs. Store away from oxidizing agents.

Store away from metals.

- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:
- Not required.

67-66-3 trich	loromethane	
IOELV (EU)	Long-term value: 10 mg/m³, 2 ppm Skin	
PEL (USA)	Ceiling limit: 240 mg/m ³ , 50 ppm	
REL (USA)	Short-term value: 9,78* mg/m³, 2* ppm *60-min; See Pocket Guide App. A	
TLV (USA)	Long-term value: 49 mg/m ³ , 10 ppm	
EL (Canada)	Long-term value: 2 ppm IARC 2B; R	
EV (Canada)	Long-term value: 49 mg/m ³ , 10 ppm	
· DNELs No fu	rther relevant information available.	
		(Contd. on page 6)

GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test E 3rd Ampoule

(Contd. of page 5) · PNECs No further relevant information available. · Additional information: The lists valid during the making were used as basis. · 8.2 Exposure controls · Personal protective equipment: · General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Do not inhale gases / fumes / aerosols. · Respiratory protection: Not required under normal conditions of use. Use suitable respiratory protective device when aerosol or mist is formed. Use suitable respiratory protective device in case of insufficient ventilation. For spills, respiratory protection may be advisable. · Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation. · Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Eye protection: Safety glasses · Body protection: Protective work clothing · Limitation and supervision of exposure into the environment No further relevant information available. · Risk management measures See Section 7 for additional information. No further relevant information available.

(Contd. on page 7)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test E 3rd Ampoule

(Contd. of page 6)

SECTION 9: Physical and cher	mical properties
 9.1 Information on basic physical an General Information Appearance: Form: Colour: 	Liquid Colourless
 Odour: Odour threshold: 	Ether-like Not determined.
· pH-value:	Not determined.
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	-81 ° F / -63 °C 144 ° F / 62 °C
· Flash point:	Not applicable - does not support sustained combustion.
 Flammability (solid, gaseous): 	Not applicable.
· Auto/Self-ignition temperature:	Not determined.
· Decomposition temperature:	Not determined.
· Self-igniting:	Not determined.
 Danger of explosion: 	Product does not present an explosion hazard.
 Explosion limits: Lower: Upper: 	Not determined. Not determined.
· Vapour pressure at 20 °C:	210 hPa
 Density at 20 °C: Relative density Vapour density Evaporation rate 	1,48 g/cm ³ Not determined. Not determined. Not determined.
 Solubility in / Miscibility with water at 20 °C: 	8 g/l
· Partition coefficient (n-octanol/wate	r): Not determined.
 Viscosity: Dynamic: Kinematic: 9.2 Other information 	Not determined. Not determined. No further relevant information available.

(Contd. on page 8)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test E 3rd Ampoule

(Contd. of page 7)

SECTION 10: Stability and reactivity

· 10.1 Reactivity

- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- **10.3 Possibility of hazardous reactions** Reacts with strong oxidizing agents.
- Reacts with certain metals.
- Reacts with strong alkali.
- Toxic fumes may be released if heated above the decomposition point.
- **10.4 Conditions to avoid** Store away from oxidizing agents. Keep away from heat and direct sunlight.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: Chlorine compounds

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

· Acute toxicity:

· LD/LC50 values relevant for classification:

67-66-3 trichloromethane

Oral LD50 908 mg/kg (rat)

- Dermal LD50 75 mg/kg (rat)
- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- Subacute to chronic toxicity: Vapours have narcotic effect.
- Additional toxicological information:

Toxic and/or corrosive effects may be delayed up to 12 hours. Suspected of causing cancer.

Inhalation of concentrated vapours as well as oral intake will lead to anaesthesia-like conditions and headache, dizziness, etc.

Danger through skin adsorption.

- Acute effects (acute toxicity, irritation and corrosivity):
 - Vapours have narcotic effect. May be harmful if inhaled.
- Harmful if swallowed.
- Repeated dose toxicity:
- May cause damage to organs through prolonged or repeated exposure.
- Repeated exposure may cause skin dryness or cracking.
- May cause neurotoxic effects.

(Contd. on page 9)

(Contd. of page 8)

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test E 3rd Ampoule

• CMR effects (carcinogenity, mutagenicity and toxicity for reproduction): Carc. 2

SECTION 12: Ecological information

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability Not easily biodegradable
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Assessment by list): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

The material is harmful to the environment.

Avoid transfer into the environment.

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. After prior treatment product has to be disposed of in an incinerator for hazardous waste adhering to the regulations pertaining to the disposal of particularly hazardous waste.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

· Uncleaned packaging:

- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

- · 14.1 UN-Number
- \cdot DOT, ADR, IMDG, IATA
- · 14.2 UN proper shipping name
- · DOT, IMDG, IATA
- · ADR

UN1888

CHLOROFORM 1888 CHLOROFORM

(Contd. on page 10)

Printing date: September 16, 2014

Revision: September 16, 2014

· 14.3 Transport hazard class(es)	(Contd. of page
· DOT	
~	
\$	
	6.1 Toxic substances.
· Label	6.1
· ADR	
/ <u>P</u>	
s/	
· Class	6.1 (T1) Toxic substances.
· Label	6.1
· IMDG, IATA	
6	
· Class	6.1 Toxic substances.
· Label	6.1
 14.4 Packing group 	
· DOT, ADR, IMDG, IATA	III
 14.5 Environmental hazards: 	
· Marine pollutant:	No
 14.6 Special precautions for user 	Warning: Toxic substances.
· Danger code (Kemler):	60
· EMS Number:	F-A,S-A
 Segregation groups 	Liquid halogenated hydrocarbons
\cdot 14.7 Transport in bulk according to Annex II o	
MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR	
 Limited quantities (LQ) 	5L
· Excepted quantities (EQ)	Code: E1
-	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· Transport category	2
Tunnel restriction code	E
·IMDG	
 Limited quantities (LQ) 	5L
 Excepted quantities (EQ) 	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml

GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test E 3rd Ampoule

· UN "Model Regulation":

UN1888, CHLOROFORM, 6.1, III

(Contd. of page 10)

SECTION 15: Regulatory information	
 15.1 Safety, health and environmental regulations/legislation specific for the substanc United States (USA) SARA 	e or mixtur
 Section 355 (extremely hazardous substances): 	
Substance is listed.	
· Section 313 (Specific toxic chemical listings):	
Substance is listed.	
· TSCA (Toxic Substances Control Act):	
Substance is listed.	
· Proposition 65 (California):	
· Chemicals known to cause cancer:	
Substance is listed.	
· Chemicals known to cause reproductive toxicity for females:	
Substance is not listed.	
· Chemicals known to cause reproductive toxicity for males:	
Substance is not listed.	
\cdot Chemicals known to cause developmental toxicity:	
Substance is listed.	
· Carcinogenic Categories	
· EPA (Environmental Protection Agency)	
67-66-3 trichloromethane	B2, L, NI
· IARC (International Agency for Research on Cancer)	
67-66-3 trichloromethane	28
• TLV (Threshold Limit Value established by ACGIH)	I
67-66-3 trichloromethane	A
· NIOSH-Ca (National Institute for Occupational Safety and Health)	I
Substance is listed.	
· Canada	
· Canadian Domestic Substances List (DSL)	
Substance is listed.	
· Canadian Ingredient Disclosure list (limit 0.1%)	
Substance is listed.	
· Canadian Ingredient Disclosure list (limit 1%)	
Substance is not listed.	
(C	ontd. on page '

GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test E 3rd Ampoule

(Contd. of page 11)

• Other regulations, limitations and prohibitive regulations

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

Substances of very high concern (SVHC) according to REACH, Article 57

Substance is not listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Acute Tox. 4: Acute toxicity, Hazard Category 4 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Carc. 2: Carcinogenicity, Hazard Category 2 STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2 Sources SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com