Printing date: September 16, 2014

Revision: September 16, 2014

SECTION 1: Identification of the substance/mixture and of the company/ undertaking
· 1.1 Product identifier
· Trade name: <u>NIK Test P</u>
 Article number: 800-6084 (1006162) 1.2 Relevant identified uses of the substance or mixture and uses advised against Propoxyphene (Darvon) Test Kit
 1.3 Details of the supplier of the Safety Data Sheet Manufacturer/Supplier: Safariland, LLC 13386 International Parkway Jacksonville, FL 32218 Customer Care (800) 347-1200
 • 1.4 Emergency telephone number: ChemTel Inc. (800)255-3924, +1 (813)248-0585
SECTION 2: Hazards identification
 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 The following classifications are applicable only to the general GHS regulations and not the specific CLP regulation: H317, H360. The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H360F, H411.
Carc. 1 H350: May cause cancer.
Repr. 1 H360: May damage fertility or the unborn child
Skin Sens. 1 H317: May cause an allergic skin reaction.
health hazard
Carc. 1B H350 May cause cancer. Repr. 1B H360F May damage fertility.
environment
Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.
 Classification according to Directive 67/548/EEC or Directive 1999/45/EC T; Toxic
R49-60: May cause cancer by inhalation. May impair fertility. (Contd. on page 2)


GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test P


(Contd. of page 1)



GHS

Printing date: September 16, 2014

Revision: September 16, 2014



(Contd. on page 4)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test P

(Contd. of page 3)

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation is experienced, consult a doctor.

- After eye contact:
- Remove contact lenses if worn.
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

- 4.2 Most important symptoms and effects, both acute and delayed
- Gastric or intestinal disorders when ingested.

Coughing

Breathing difficulty

Allergic reactions

• Hazards Danger of serious damage to health by prolonged exposure.

• **4.3 Indication of any immediate medical attention and special treatment needed** Treat skin and mucous membrane with antihistamine and corticoid preparations. Contains cobalt dichloride. May produce an allergic reaction.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- For safety reasons unsuitable extinguishing agents: None.
- 5.2 Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- 5.3 Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

- Wear fully protective suit.
- · Additional information No further relevant information available.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures
 Ensure adequate ventilation
 Wear protective clothing.
 For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.
 6.2 Environmental precautions:
 Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

(Contd. on page 5)

(Contd. of page 4)

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test P

\cdot 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Send for recovery or disposal in suitable receptacles. Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. • 6.4 Reference to other sections

- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling
 Prevent formation of aerosols.
 Use only in well ventilated areas.
 Avoid splashes or spray in enclosed areas.
 Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:
- Avoid storage near extreme heat, ignition sources or open flame.
- Information about storage in one common storage facility: Store away from foodstuffs.
- Do not store together with acids.
- Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- **DNELs** No further relevant information available.
- **PNECs** No further relevant information available.
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Do not inhale dust / smoke / mist.

Wash hands before breaks and at the end of work.

(Contd. on page 6)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test P

(Contd. of page 5)

· Respiratory protection: Not required under normal conditions of use. For spills, respiratory protection may be advisable. Use suitable respiratory protective device when aerosol or mist is formed. · Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation. Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. · Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. · Eye protection: Safety glasses · Body protection: Protective work clothing · Limitation and supervision of exposure into the environment No further relevant information available. · Risk management measures See Section 7 for additional information. No further relevant information available. SECTION 9: Physical and chemical properties · 9.1 Information on basic physical and chemical properties · General Information · Appearance: Form: Liquid Colour: Pink · Odour: Odourless · Odour threshold: Not determined. · pH-value: Not determined.

· Change in condition Melting point/Melting range: 32 °F / 0 °C 212 °F / 100 °C Boiling point/Boiling range:

(Contd. on page 7)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test P

		(Contd. of page 6)
· Flash point:	Not applicable.	
 Flammability (solid, gaseous): 	Not applicable.	
· Auto/Self-ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
· Self-igniting:	Product is not self-igniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
 Explosion limits: Lower: Upper: 	Not determined. Not determined.	
 Vapour pressure at 20 °C: 	23 hPa	
 Density at 20 °C: Relative density Vapour density Evaporation rate 	1,02 g/cm ³ Not determined. Not determined. Not determined.	
 Solubility in / Miscibility with water: 	Fully miscible.	
· Partition coefficient (n-octanol/water): Not determined.	
 Viscosity: Dynamic: Kinematic: 	Not determined. Not determined.	
 Solvent content: Organic solvents: Water: 	0,0 % 99,1 %	
Solids content: · 9.2 Other information	0,9 % No further relevant information available.	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- 10.3 Possibility of hazardous reactions
- Toxic fumes may be released if heated above the decomposition point. Reacts with strong acids and alkali.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 8)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test P

(Contd. of page 7)

SECTION 11: Toxicological information

• 11.1 Information on toxicological effects

· Acute toxicity:

· LD/LC50 values relevant for classification:

7791-13-1 cobalt dichloride

Oral LD50 537 mg/kg (rat)

Dermal LD50 >2000 mg/kg (rat)

- · Primary irritant effect:
- on the skin: No irritant effect.
- · on the eye: No irritating effect.
- Sensitization: Sensitizing effect by skin contact is possible by prolonged exposure.
- Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: May damage fertility or the unborn child.

- May cause cancer.
- **Repeated dose toxicity:** May cause damage to organs through prolonged or repeated exposure.
- Repeated exposures may result in skin and/or respiratory sensitivity.
- \cdot CMR effects (carcinogenity, mutagenicity and toxicity for reproduction):
- Carc. 1B, Repr. 1B

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: Toxic for aquatic organisms
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

• 12.5 Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 9)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test P

• 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

· Uncleaned packaging:

.

- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

· 14.1 UN-Number	
· DOT	Not Regulated Classification as a MARINE POLLUTANT is based on MARPOL and DOT rules. Labeling as a MARINE POLLUTANT is not required for non-bulk single package shipments by motor vehicle, rail car or aircraft. Bulk packaging consists of a maximum capacity of greater than 450L (119 gallons) for a liquid and a maximum net mass greater than 400kg (882 pounds) for a solid.
· ADR, IATA	UN3082
·IMDG	Not Regulated
 14.2 UN proper shipping name 	
	Not Regulated
ADR	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (cobalt dichloride)
·IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (cobalt dichloride)
 14.3 Transport hazard class(es) 	
· DOT, IMDG	
Class	Not Regulated
	(Contd. on page 10)

(Contd. of page 8)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test P	
	(Contd. of page 9)
· ADR	
Class	9 (M6) Miscellaneous dangerous substances and articles.
· Label	9
· IATA	
· Class	9 Miscellaneous dangerous substances and articles.
	9
· 14.4 Packing group	Net De sudate d
· DOT, IMDG · ADR, IATA	Not Regulated
· 14.5 Environmental hazards:	111
· Marine pollutant:	No
· Special marking (ADR):	Symbol (fish and tree)
· Special marking (IATA):	Symbol (fish and tree)
· 14.6 Special precautions for user	Warning: Miscellaneous dangerous substances and articles.
· Danger code (Kemler):	90
14.7 Transport in bulk according to Annex II o	
MARPOL73/78 and the IBC Code	Not applicable.
 Transport/Additional information: 	
· ADR	
 Limited quantities (LQ) Excepted quantities (EQ) 	5L Code: E1 Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
Transport category	3
 Tunnel restriction code UN "Model Regulation": 	E UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (cobalt dichloride), 9, III

(Contd. on page 11)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test P

(Contd. of page 10)

SECTION 15: Regulatory information · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture United States (USA) · SARA Section 355 (extremely hazardous substances): None of the ingredients is listed. · Section 313 (Specific toxic chemical listings): None of the ingredients is listed. · TSCA (Toxic Substances Control Act): 7732-18-5 water, distilled, conductivity or of similar purity · Proposition 65 (California): · Chemicals known to cause cancer: None of the ingredients is listed. · Chemicals known to cause reproductive toxicity for females: None of the ingredients are listed. · Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. Chemicals known to cause developmental toxicity: None of the ingredients is listed. Carcinogenic Categories · EPA (Environmental Protection Agency) None of the ingredients is listed. IARC (International Agency for Research on Cancer) 7791-13-1 cobalt dichloride 2B · TLV (Threshold Limit Value established by ACGIH) None of the ingredients is listed. · NIOSH-Ca (National Institute for Occupational Safety and Health) None of the ingredients is listed. · Canada · Canadian Domestic Substances List (DSL) 7732-18-5 water, distilled, conductivity or of similar purity Canadian Ingredient Disclosure list (limit 0.1%) None of the ingredients is listed. Canadian Ingredient Disclosure list (limit 1%) None of the ingredients is listed. · Other regulations, limitations and prohibitive regulations This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

(Contd. on page 12)

(Contd. of page 11)

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test P

Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H302 Harmful if swallowed.

- May cause an allergic skin reaction. H317
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H341 Suspected of causing genetic defects.

H350i May cause cancer by inhalation.

H360F May damage fertility.

H400 Very toxic to aquatic life.

- H410 Very toxic to aquatic life with long lasting effects.
- R22 Harmful if swallowed.

R42/43 May cause sensitisation by inhalation and skin contact.

R49 May cause cancer by inhalation.

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

- May impair fertility. R60
- R68 Possible risk of irreversible effects.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Acute Tox. 4: Acute toxicity, Hazard Category 4 Resp. Sens. 1: Sensitisation - Respirat., Hazard Category 1 Skin Sens. 1: Sensitisation - Skin, Hazard Category 1 Muta. 2: Germ cell mutagenicity, Hazard Category 2 Carc. 1B: Carcinogenicity, Hazard Category 1B Carc. 1B: Carcinogenicity, Hazard Category 1B Repr. 1B: Reproductive toxicity, Hazard Category 1B Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Čategory 1 Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2

(Contd. on page 13)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test P

(Contd. of page 12)

Sources
SDS Prepared by: ChemTel Inc.
1305 North Florida Avenue
Tampa, Florida USA 33602-2902
Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573
Website: www.chemtelinc.com

Printing date: September 16, 2014

Revision: September 16, 2014

undertaking	
1.1 Product ide	entifier
Trade name: <u>N</u>	IK Test P 2nd Ampoule
1.2 Relevant id	: 800-6084 (1006162) entified uses of the substance or mixture and uses advised against Darvon) Test Kit
• Manufacturer/3 Safariland, LLC 11386 Internation Jacksonville, FL	onal Parkway
ChemTel Inc.	telephone number: Image: Control of the second
	Hazards identification
Classification	on of the substance or mixture according to Regulation (EC) No 1272/2008 not classified as bazardous according to GHS regulations
Classification The product is r	
Classification The product is in The product is in Classification Information co The product do guideline for pre- Classification The classificat literature data. The classificat	according to Regulation (EC) No 1272/2008 not classified as hazardous according to GHS regulations. not classified as hazardous according to the CLP regulation. according to Directive 67/548/EEC or Directive 1999/45/EC Not applicable. ncerning particular hazards for human and environment: es not have to be labelled due to the calculation procedure of the "General Classificatio eparations of the EU" in the latest valid version.
 Classification The product is in The product is in Classification Information condition Information condition Classification The product do guideline for product do gui	according to Regulation (EC) No 1272/2008 not classified as hazardous according to GHS regulations. not classified as hazardous according to the CLP regulation. according to Directive 67/548/EEC or Directive 1999/45/EC Not applicable. ncerning particular hazards for human and environment: es not have to be labelled due to the calculation procedure of the "General Classification eparations of the EU" in the latest valid version. system: ion is according to the latest editions of the EU-lists, and extended by company ar ion is in accordance with the latest editions of international substances lists, and by information from technical literature and by information provided by the company. ents rding to Regulation (EC) No 1272/2008 Not Regulated mans Not Regulated
 Classification The product is in The product is in Classification Information condition Information condition Classification Classification The classification The classification The classification The classification The classification The classification Classification Classification Classification Classification The classification The classification The classification The classification Classification Classification Classification Classification Classification Classification The classification Classification Classif	according to Regulation (EC) No 1272/2008 not classified as hazardous according to GHS regulations. not classified as hazardous according to the CLP regulation. according to Directive 67/548/EEC or Directive 1999/45/EC Not applicable. ncerning particular hazards for human and environment: es not have to be labelled due to the calculation procedure of the "General Classification exparations of the EU" in the latest valid version. system: ion is according to the latest editions of the EU-lists, and extended by company ar ion is in accordance with the latest editions of international substances lists, and by information from technical literature and by information provided by the company. ents rding to Regulation (EC) No 1272/2008 Not Regulated ams Not Regulated of Regulated inting components of labelling: None. ents Not Regulated

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test P 2nd Ampoule (Contd. of page 1) · NFPA ratings (scale 0 - 4) Health = 0Fire = 0Reactivity = 0· HMIS-ratings (scale 0 - 4) I Health = 0 HEALTH FIRE • Fire = 0 REACTIVITY O Reactivity = 0 · HMIS Long Term Health Hazard Substances None of the ingredients is listed. · 2.3 Other hazards · Results of PBT and vPvB assessment • **PBT:** Not applicable. · vPvB: Not applicable. **SECTION 3: Composition/information on ingredients** · 3.2 Mixtures · Description: Mixture of substances listed below with nonhazardous additions. · Dangerous components: CAS: 1762-95-4 ammonium thiocyanate < 1,0% Xn R20/21/22 EINECS: 217-175-6 Index number: 615-004-00-3 R32 Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332 • Additional information: For the wording of the listed risk phrases refer to section 16. **SECTION 4: First aid measures** · 4.1 Description of first aid measures · General information: No special measures required. · After inhalation: Supply fresh air; consult doctor in case of complaints. · After skin contact: Clean with water and soap. If skin irritation is experienced, consult a doctor. · After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; call for medical help immediately.
- 4.2 Most important symptoms and effects, both acute and delayed

Gastric or intestinal disorders when ingested.

(Contd. on page 3)

(Contd. of page 2)

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test P 2nd Ampoule

Slight irritant effect on eyes.

- · Hazards No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · For safety reasons unsuitable extinguishing agents: None.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information No further relevant information available.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation For large spills, wear protective clothing.
- For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.
- 6.2 Environmental precautions: No special measures required.
 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Send for recovery or disposal in suitable receptacles. Dispose contaminated material as waste according to item 13.
 6.4 Reference to other sections See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special measures required.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Store away from foodstuffs.

• Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.

(Contd. on page 4)

(Contd. of page 3)

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and

GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test P 2nd Ampoule

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- **DNELs** No further relevant information available.
- · PNECs No further relevant information available.
- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Avoid contact with the eyes.

Avoid close or long term contact with the skin.

Keep away from foodstuffs, beverages and feed.

· Respiratory protection:

Not required under normal conditions of use.

Use suitable respiratory protective device when aerosol or mist is formed.

For spills, respiratory protection may be advisable.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Safety glasses

· Body protection:

Not required under normal conditions of use. Protection may be required for spills.

(Contd. on page 5)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test P 2nd Ampoule

- (Contd. of page 4) Limitation and supervision of exposure into the environment No special requirements.
- · Risk management measures No special requirements.

SECTION 9: Physical and chemical properties		
 9.1 Information on basic physical a General Information Appearance: 	nd chemical properties	
 Appearance. Form: Colour: Odour: Odour threshold: 	Liquid Colourless Odourless Not determined.	
· pH-value:	Not determined.	
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Not Determined. 212 °F / 100 °C	
· Flash point:	Not applicable.	
 Flammability (solid, gaseous): 	Not applicable.	
 Auto/Self-ignition temperature: 	Not determined.	
 Decomposition temperature: 	Not determined.	
· Self-igniting:	Product is not self-igniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
 Explosion limits: Lower: Upper: 	Not determined. Not determined.	
· Vapour pressure at 20 °C:	23 hPa	
 Density at 20 °C: Relative density Vapour density Evaporation rate 	1 g/cm ³ Not determined. Not determined. Not determined.	
 Solubility in / Miscibility with water: 	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/wat	er): Not determined.	
 Viscosity: Dynamic: Kinematic: 9.2 Other information 	Not determined. Not determined. No further relevant information available.	
		(Contd. on page 6)

(Contd. on page 6)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test P 2nd Ampoule

(Contd. of page 5)

SECTION 10: Stability and reactivity

· 10.1 Reactivity

- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: Possible in traces.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- \cdot on the skin: No irritant effect.
- on the eye: Slight irritant effect on eyes.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Generally not hazardous for water
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

(Contd. on page 7)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test P 2nd Ampoule

(Contd. of page 6)

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Smaller quantities can be disposed of with household waste.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information		
· 14.1 UN-Number		
· DOT, ADR, ADN, IMDG, IATA	Not Regulated	
 14.2 UN proper shipping name DOT, ADR, ADN, IMDG, IATA 14.3 Transport hazard class(es) 	Not Regulated	
· DOT, ADR, ADN, IMDG, IATA		
Class	Not Regulated	
· 14.4 Packing group		
· DOT, ADR, IMDG, IATA	Not Regulated	
 14.5 Environmental hazards: 		
• Marine pollutant:	No	
 14.6 Special precautions for user 	Not applicable.	
 14.7 Transport in bulk according to Annex II 	of	
MARPOL73/78 and the IBC Code	Not applicable.	
· UN "Model Regulation":	-	

SECTION 15: Regulatory information

 \cdot 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot United States (USA)

·SARA

Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

(Contd. on page 8)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test P 2nd Ampoule

Proposition 65 (California):	(Contd. of pag
Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients are listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
Carcinogenic Categories	
EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
IARC (International Agency for Research on Cancer)	
None of the ingredients is listed.	
TLV (Threshold Limit Value established by ACGIH)	
None of the ingredients is listed.	
NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
Canada	
Canadian Domestic Substances List (DSL)	
All ingredients are listed.	
Canadian Ingredient Disclosure list (limit 0.1%)	
None of the ingredients is listed.	
Canadian Ingredient Disclosure list (limit 1%)	
None of the ingredients is listed.	
• Other regulations, limitations and prohibitive regulations This product has been classified in accordance with hazard criteria of the Contro and the SDS contains all the information required by the Controlled Products Re	
• Substances of very high concern (SVHC) according to REACH, Article 57	
None of the ingredients is listed.	
· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not be	en carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

(Contd. on page 9)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test P 2nd Ampoule

H332	(Contd. of page 8) Harmful if inhaled.
R20/21/2 R32	2 Harmful by inhalation, in contact with skin and if swallowed. Contact with acids liberates very toxic gas.
ADR: Acco International IMDG: International IMDG: International IMDG: International IMDG: International AcGIH: Ann EINECS: E CAS: Chen NFPA: Nati HMIS: Haz: WHMIS: W DNEL: Dern PNEC: Prenational Acute Tox. Sources SDS Prenational ChemTe 1305 Nor Tampa, F Toll Free	pared by:

Printing date: September 16, 2014

Revision: September 16, 2014

SECTION 1: Identification of the substance/mixture and of the company/ undertaking
· 1.1 Product identifier
· Trade name: <u>NIK Test P 3rd ampoule</u>
 Article number: 800-6084 (1006162) CAS Number: 7664-38-2 EINECS Number: 231-633-2 Index number: 015-011-00-6 1.2 Relevant identified uses of the substance or mixture and uses advised against Propoxyphene (Darvon) Test Kit
 1.3 Details of the supplier of the Safety Data Sheet Manufacturer/Supplier: Safariland, LLC 11386 International Parkway Jacksonville, FL 32218 Customer Care (800) 347-1200 1.4 Emergency telephone number:
• 1.4 Emergency telephone number: ChemTel Inc. (800)255-3924, +1 (813)248-0585
SECTION 2: Hazards identification
 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008
corrosion
Met. Corr.1 H290 May be corrosive to metals. Skin Corr. 1B H314 Causes severe skin burns and eye damage.
 Classification according to Directive 67/548/EEC or Directive 1999/45/EC C; Corrosive
 R34: Causes burns. Information concerning particular hazards for human and environment: The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version. Classification system:
The classification is according to the latest editions of the EU-lists, and extended by company and literature data. The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.
 • 2.2 Label elements • Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. (Contd. on page 2)

Printing date: September 16, 2014

Revision: September 16, 2014

de name: NIK Te	est P 3rd ampoule	
· Hazard pictogra		(Contd. of page
FI		
GHS05		
· Signal word Da	nger	
· Hazard-determi	ning components of labelling:	
phosphoric acid		
· Hazard stateme		
H290 May be con		
• Precautionary s	vere skin burns and eye damage. tatements	
P280	Wear protective gloves / eye protection).
P264	Wash thoroughly after handling.	
P305+P351+P33	38 IF IN EYES: Rinse cautiously with wate	er for several minutes. Remove contact lense
D204 - D220 - D22	present and easy to do. Continue rinsir	
P301+P330+P33 P390	31 IF SWALLOW ED: rinse mouth. Do NO Absorb spillage to prevent material dar	
P501		nage. ordance with local/regional/national/internatio
	regulations.	
Hazard descript		
WHMIS-symbol		
E - Corrosive ma	terial	
<u>114 200</u>		
• NFPA ratings (s	cale 0 - 4)	
Healt	•	
Fire =	-	
	tivity = 0	
HMIS-ratings (s	cale 0 - 4)	
HEALTH 3 Hea		
FIRE 0 Fire		
ReaCTIVITY Rea	ctivity = 0	
-	n Health Hazard Substances	
None of the ingre		
2.3 Other hazar		
 Results of PBT 	and vPvB assessment	
	die.	
• PBT: Not applica		

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test P 3rd ampoule

(Contd. of page 2)

Description: Mixture of su	bstances listed below with nonhazardous additions.	
Dangerous components:		
CAS: 7664-38-2	phosphoric acid	50-100
EINECS: 231-633-2	🔁 C R34	
Index number: 015-011-00	0-6 🐼 Skin Corr. 1B, H314	
Additional information: F	or the wording of the listed risk phrases refer to section 16.	L
SECTION 4: First aid	measures	
4.1 Description of first ai General information:	a measures	
	lathing apiled by the product	
Take affected persons out	lothing soiled by the product.	
	resh air; consult doctor in case of complaints.	
After skin contact:	lesh all, consult doctor in case of complaints.	
	lathing aciled by the product	
Immediately rinse with wat	lothing soiled by the product.	
	elp for blistering or open wounds.	
After eye contact:	leip for blistering of open woulds.	
Protect unharmed eye.		
Remove contact lenses if v	vorn if possible	
	eral minutes under running water. Then consult a doctor.	
After swallowing:		
Rinse out mouth and then	drink plenty of water	
	Il for medical help immediately.	
	toms and effects, both acute and delayed	
	in and mucous membranes.	
Gastric or intestinal disord		
Hazards	ers when nigested.	
Danger of gastric perforati	on	
Danger of severe eye injur		
May be harmful if inhaled.	y.	
	nediate medical attention and special treatment needed	
	ieulale illeulcai alleillion anu speciai liealilleill liecueu	

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- For safety reasons unsuitable extinguishing agents: None.
- · 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

(Contd. on page 4)

GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test P 3rd ampoule

5.3 Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device. Wear fully protective suit.

· Additional information No further relevant information available.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures For large spills, wear protective clothing. For large spills, use respiratory protective device against the effects of fumes/dust/aerosol. Ensure adequate ventilation
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Use limestone to neutralize and absorb spill. Send for recovery or disposal in suitable receptacles. Dispose contaminated material as waste according to item 13. Clean the affected area carefully; suitable cleaners are: Warm water

· 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling Prevent formation of aerosols. Use only in well ventilated areas.
- · Information about fire and explosion protection: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

- · Storage:
- · Requirements to be met by storerooms and receptacles: Store only in the original receptacle. Unsuitable material for receptacle: aluminium.
- · Information about storage in one common storage facility:
- Store away from foodstuffs. Store away from oxidizing agents.

Store away from metals.

Do not store together with alkalis (caustic solutions).

- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- · 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 5)

(Contd. of page 3)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test P 3rd ampoule

(Contd. of page 4)

 8.1 Control parameters Ingredients with limit values that require monitoring at the workplace: 7664-38-2 phosphoric acid IOELV (EU) Short-term value: 2 mg/m³ Long-term value: 1 mg/m³ PEL (USA) Long-term value: 1 mg/m³ REL (USA) Short-term value: 3 mg/m³ Long-term value: 1 mg/m³ TLV (USA) Short-term value: 3 mg/m³ Long-term value: 1 mg/m³ EL (Canada) Short-term value: 3 mg/m³ Long-term value: 1 mg/m³ EV (Canada) Short-term value: 3 mg/m³ Long-term value: 1 mg/m³ EV (Canada) Short-term value: 3 mg/m³ Long-term value: 1 mg/m³ ONELs No further relevant information available. PMECS No further relevant information available. PMECS No further relevant information available. PMECS No further relevant information available. Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Personal protective equipment: General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Do not inhale gases / fumes / aerosols. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Respiratory protection: Not required under normal conditions of use. Use suitable respiratory protection may be advisable. Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparati Selection of the glove material on consideration of the penetration times, rates of diffusion a degradation. 	8.1 Control p				
7664-38-2 phosphoric acid IOELV (EU) Short-term value: 2 mg/m³ Long-term value: 1 mg/m³ PEL (USA) Long-term value: 3 mg/m³ Long-term value: 3 mg/m³ Long-term value: 3 mg/m³ Long-term value: 3 mg/m³ Long-term value: 1 mg/m³ EL (Canada) Short-term value: 3 mg/m³ Long-term value: 1 mg/m³ EV (Canada) Short-term value: 3 mg/m³ Long-term value: 1 mg/m³ EV (Canada) Short-term value: 3 mg/m³ Long-term value: 1 mg/m³ PNECs No further relevant information available. PMECs No further protective equipment: Genera		•			
IOELV (EU) Short-term value: 2 mg/m ³ Long-term value: 1 mg/m ³ PEL (USA) Long-term value: 1 mg/m ³ REL (USA) Short-term value: 3 mg/m ³ Long-term value: 1 mg/m ³ TLV (USA) Short-term value: 3 mg/m ³ Long-term value: 1 mg/m ³ EV (Canada) Short-term value: 3 mg/m ³ Long-term value: 1 mg/m ³ EV (Canada) Short-term value: 3 mg/m ³ Long-term value: 1 mg/m ³ DNELs No further relevant information available. PNECs No further relevant information available. Additional information : The lists valid during the making were used as basis. 8.2 Exposure controls Personal protective equipment: General protective equipment: General protective equipment: General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Do not inhale gases / fumes / aerosols. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Respiratory protection: Not required under normal conditions of use. Use suitable respiratory protectione device when aerosol or mist is formed. For spills, respiratory protection may be advisable. Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparati Selection of the glove material on consideration of the penetration times, rates of diffusion a	Ingredients with limit values that require monitoring at the workplace:				
Long-term value: 1 mg/m ³ PEL (USA) Long-term value: 1 mg/m ³ REL (USA) Short-term value: 3 mg/m ³ Long-term value: 1 mg/m ³ TLV (USA) Short-term value: 3 mg/m ³ Long-term value: 1 mg/m ³ EL (Canada) Short-term value: 3 mg/m ³ Long-term value: 1 mg/m ³ EV (Canada) Short-term value: 3 mg/m ³ Long-term value: 1 mg/m ³ DNELs No further relevant information available. PNECs No further relevant information available. Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Personal protective equipment: General protective equipment: General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Do not inhale gases / fumes / aerosols. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Respiratory protection: Not required under normal conditions of use. Use suitable respiratory protection may be advisable. Protection of hands: <i>Protection of hands:</i> The glove material has to be impermeable and resistant to the product/ the substance/ the preparatt Selection of the glove material on consideration of the penetration times, rates of diffusion a	-	•			
REL (USA) Short-term value: 3 mg/m ³ Long-term value: 1 mg/m ³ TLV (USA) Short-term value: 3 mg/m ³ Long-term value: 1 mg/m ³ EL (Canada) Short-term value: 3 mg/m ³ Long-term value: 1 mg/m ³ EV (Canada) Short-term value: 3 mg/m ³ Long-term value: 1 mg/m ³ DNELs No further relevant information available. PNECs No further relevant information available. PNECs No further relevant information available. Additional information : The lists valid during the making were used as basis. 8.2 Exposure controls Personal protective equipment: General protective equipment: General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Do not inhale gases / fumes / aerosols. Immediately remove all solied and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Respiratory protection: Not required under normal conditions of use. Use suitable respiratory protective device when aerosol or mist is formed. For spills, respiratory protection may be advisable. Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparati Selection of the glove material on consideration of the penetration times, rates of diffusion a	IOELV (EU)				
Long-term value: 1 mg/m ³ TLV (USA) Short-term value: 3 mg/m ³ Long-term value: 1 mg/m ³ EL (Canada) Short-term value: 3 mg/m ³ Long-term value: 1 mg/m ³ EV (Canada) Short-term value: 3 mg/m ³ Long-term value: 1 mg/m ³ DNELs No further relevant information available. Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Personal protective equipment: General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Do not inhale gases / fumes / aerosols. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Respiratory protection: Not required under normal conditions of use. Use suitable respiratory protection may be advisable. Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparati Selection of the glove material on consideration of the penetration times, rates of diffusion a	PEL (USA)	Long-term value: 1 mg/m ³			
Long-term value: 1 mg/m ³ EL (Canada) Short-term value: 3 mg/m ³ Long-term value: 1 mg/m ³ EV (Canada) Short-term value: 3 mg/m ³ Long-term value: 1 mg/m ³ DNELs No further relevant information available. PNECS No further relevant information available. Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Personal protective equipment: General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Do not inhale gases / fumes / aerosols. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Respiratory protection: Not required under normal conditions of use. Use suitable respiratory protection may be advisable. Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparati Selection of the glove material on consideration of the penetration times, rates of diffusion a	REL (USA)				
Long-term value: 1 mg/m ³ EV (Canada) Short-term value: 3 mg/m ³ Long-term value: 1 mg/m ³ DNELs No further relevant information available. Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Personal protective equipment: General protective equipment: General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Do not inhale gases / fumes / aerosols. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Respiratory protection: Not required under normal conditions of use. Use suitable respiratory protective device when aerosol or mist is formed. For spills, respiratory protection may be advisable. Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparati Selection of the glove material on consideration of the penetration times, rates of diffusion a	TLV (USA)				
Long-term value: 1 mg/m ³ DNELs No further relevant information available. PNECs No further relevant information available. Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Personal protective equipment: General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Do not inhale gases / fumes / aerosols. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Respiratory protection: Not required under normal conditions of use. Use suitable respiratory protection may be advisable. Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparati Selection of the glove material on consideration of the penetration times, rates of diffusion a	EL (Canada)				
PNECs No further relevant information available. Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Personal protective equipment: General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Do not inhale gases / fumes / aerosols. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Respiratory protection: Not required under normal conditions of use. Use suitable respiratory protection may be advisable. Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparatiselection of the glove material on consideration of the penetration times, rates of diffusion and substance of the preparatise of the glove material on consideration of the penetration times, rates of diffusion and substance of the penetration times, rates of diffusion and substance of the penetration times, rates of diffusion and substance of the penetration times, rates of diffusion and substance of the penetration times, rates of diffusion and substance of the penetration times, rates of diffusion and substance of the penetration times, rates of diffusion and substance of the penetration times, rates of diffusion and substance of the penetration times, rates of diffusion and substance of the penetration times, rates of diffusion and substance of the penetration times, rates of diffusion and substance of the penetration times, rates of diffusion and substance of the penetration times, rates of diffusion and substance of the penetration times, rates of diffusion and substance of the penetration times.	EV (Canada)				
Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation of the glove material on consideration of the penetration times, rates of diffusion and the penetration times.	Keep away fro Do not inhale Immediately r Wash hands Avoid contact Respiratory Not required o Use suitable r	om foodstuffs, beverages and feed. gases / fumes / aerosols. remove all soiled and contaminated clothing. before breaks and at the end of work. with the eyes and skin. protection: under normal conditions of use. respiratory protective device when aerosol or mist is formed.			
Selection of the glove material on consideration of the penetration times, rates of diffusion a	Protection of	f hands:			
Material of gloves (Contd. or	The glove ma	iterial has to be impermeable and resistant to the broduct/ the substance/ the breparation			

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test P 3rd ampoule

(Contd. of page 5)

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- Penetration time of glove material

 The exact break through time has to be found out by the manufact
 - The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
 - · Eye protection:



Safety glasses

- · Body protection: Protective work clothing
- · Limitation and supervision of exposure into the environment
- No further relevant information available.
- · Risk management measures
- See Section 7 for additional information.

No further relevant information available.

SECTION 9: Physical and chemical properties

 9.1 Information on basic physical at General Information Appearance: Form: Colour: Odour: Odour threshold: 	nd chemical properties Liquid Colourless Acrid Not determined.	
· pH-value:	Not determined.	
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Not Determined. 212° F/ 100 °C	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
· Auto/Self-ignition temperature:	Not determined.	
 Decomposition temperature: 	Not determined.	
· Self-igniting:	Product is not self-igniting.	
 Danger of explosion: 	Product does not present an explosion hazard.	
 Explosion limits: Lower: Upper: 	Not determined. Not determined.	
· Vapour pressure at 20 °C:	23 hPa	(Contd. on page 7)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test P 3rd ampoule

		(Contd. of page 6)
· Density at 20 °C:	1,75 g/cm³	
Relative density	Not determined.	
Vapour density	Not determined.	
· Evaporation rate	Not determined.	
Solubility in / Miscibility with		
water:	Fully miscible.	
Partition coefficient (n-octanol	water): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used and stored according to specifications.
 10.3 Possibility of hazardous reactions
- Reacts with alkali (lyes).
- Reacts with metals forming hydrogen.

Corrosive action on metals.

- Toxic fumes may be released if heated above the decomposition point.
- **10.4 Conditions to avoid** No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: Phosphorus oxides (e.g. P2O5)

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

- · Acute toxicity:
- · Primary irritant effect:
- on the skin: Caustic effect on skin and mucous membranes.
- · on the eye: Strong caustic effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Corrosive

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

(Contd. on page 8)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test P 3rd ampoule

(Contd. of page 7)

SECTION 12: Ecological information

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- Remark: After neutralization a reduction of the harming action may be recognized
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Dilute concentrate with water and neutralize afterwards with suitable alkali material (sodium hydroxide solution, lime). The formed neutral salts are relatively environment-friendly.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

· Uncleaned packaging:

- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

- · 14.1 UN-Number
- \cdot DOT, ADR, IMDG, IATA
- · 14.2 UN proper shipping name
- · DOT
- · ADR
- · IMDG, IATA

UN1805

Phosphoric acid solution 1805 PHOSPHORIC ACID, SOLUTION PHOSPHORIC ACID, SOLUTION

(Contd. on page 9)

Printing date: September 16, 2014

Revision: September 16, 2014

14.3 Transport hazard class(es)	(Contd. of page
DOT	
Class	8 Corrosive substances.
Label	8
ADR	
15 December 1990	
Class	8 (C1) Corrosive substances.
Label	8
IMDG, IATA	
,	
▼ Class	8 Corrosive substances.
Label	8
14.4 Packing group	
DOT, ADR, IMDG, IATA	III
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Warning: Corrosive substances.
Danger code (Kemler):	80
EMS Number:	F-A,S-B
Segregation groups	Acids
14.7 Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
Transport category	3
Tunnel restriction code	E
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml (Contd. on page

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test P 3rd ampoule

· UN "Model Regulation":

(Contd. of page 9) UN1805, PHOSPHORIC ACID, SOLUTION, 8, III

SECTION 15: Regulatory information	
 15.1 Safety, health and environmental regulations/legislation specific for the subs United States (USA) SARA 	atance or mixture
 Section 355 (extremely hazardous substances): 	
None of the ingredients is listed.	
· Section 313 (Specific toxic chemical listings):	
7664-38-2 phosphoric acid	
TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
· Proposition 65 (California):	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients are listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Carcinogenic Categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
· IARC (International Agency for Research on Cancer)	
None of the ingredients is listed.	
· TLV (Threshold Limit Value established by ACGIH)	
None of the ingredients is listed.	
· NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
· Canada	
· Canadian Domestic Substances List (DSL)	
All ingredients are listed.	
· Canadian Ingredient Disclosure list (limit 0.1%)	
None of the ingredients is listed.	
· Canadian Ingredient Disclosure list (limit 1%)	
7664-38-2 phosphoric acid	
	(Contd. on page 11

GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test P 3rd ampoule

(Contd. of page 10)

· Other regulations, limitations and prohibitive regulations This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. Substances of very high concern (SVHC) according to REACH, Article 57 None of the ingredients is listed. · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out. **SECTION 16: Other information** This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. Relevant phrases H314 Causes severe skin burns and eye damage. R34 Causes burns. Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) Met. Corr.1: Corrosive to metals, Hazard Category 1 Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B Sources SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com